

## Safety data sheet

Page: 1/18

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Version: 8.0 Date / Revised: 28.12.2022

Date previous version: 30.09.2021 Previous version: 7.0

Date / First version: 23.12.2011

Product: Butisan® S

(ID no. 30234076/SDS\_CPA\_IE/EN)

Date of print 23.02.2023

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

## **Butisan® S**

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: crop protection product, herbicide

## 1.3. Details of the supplier of the safety data sheet

Company: BASF Ireland Ltd. **Asgard House** 19-20 City Quay Dublin, D02 K744 **IRELAND** 

Telephone: +353 21 451-7100

E-mail address: product-safety-uk-and-ireland@basf.com

## 1.4. Emergency telephone number

For products classified as hazardous in accordance with CLP: National Poisons Information Centre, Beaumont Hospital, Dublin 9

Emergency medical information: 8am-10pm (seven days)

Tel.: 01 8092566

International emergency number: Telephone: +49 180 2273-112

Date / Revised: 28.12.2022 Version: 8.0
Date previous version: 30.09.2021 Previous version: 7.0

Date / First version: 23.12.2011

Product: Butisan® S

(ID no. 30234076/SDS\_CPA\_IE/EN)

Date of print 23.02.2023

## **SECTION 2: Hazards Identification**

## 2.1. Classification of the substance or mixture

For the classification of the mixture the following methods have been applied: extrapolation on the concentration levels of the hazardous substances, on basis of test results and after evaluation of experts. The methodologies used are mentioned at the respective test results.

## According to Regulation (EC) No 1272/2008 [CLP]

Acute Tox. 4 (oral) H302 Harmful if swallowed.

Skin Sens. 1 H317 May cause an allergic skin reaction.
Carc. 2 H351 Suspected of causing cancer.
Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.

For the classifications not written out in full in this section the full text can be found in section 16.

#### 2.2. Label elements

## According to Regulation (EC) No 1272/2008 [CLP]

## Pictogram:







#### Signal Word:

## Warning

#### Hazard Statement:

H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.
 H351 Suspected of causing cancer.
 H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

EUH401 To avoid risks to human health and the environment, comply with the

instructions for use.

## Precautionary Statement:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

## Precautionary Statements (Prevention):

P280 Wear protective gloves, protective clothing and eye protection or face

protection.

P201 Obtain special instructions before use.
P261 Avoid breathing mist or vapour or spray.

P202 Do not handle until all safety precautions have been read and

understood.

P272 Contaminated work clothing should not be allowed out of the workplace.

P270 Do not eat, drink or smoke when using this product.
P264 Wash contaminated body parts thoroughly after handling.

Date / Revised: 28.12.2022 Version: 8.0
Date previous version: 30.09.2021 Previous version: 7.0

Date / First version: 23.12.2011

Product: Butisan® S

(ID no. 30234076/SDS\_CPA\_IE/EN)

Date of print 23.02.2023

#### Precautionary Statements (Response):

P308 + P313 IF exposed or concerned: Get medical attention.

P302 + P352 IF ON SKIN: Wash with plenty of water.

P333 + P313 If skin irritation or rash occurs: Get medical attention.

P301 + P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you

feel unwell.

P330 Rinse mouth P391 Collect spillage.

P362 + P364 Take off contaminated clothing and wash it before reuse.

Precautionary Statements (Storage):

P405 Store locked up. Precautionary Statements (Disposal):

P501 Dispose of contents/container to a licensed hazardous waste disposal

contractor or collection site except for triple rinsed empty containers

which can be disposed of as non-hazardous waste.

Labeling of special preparations (GHS):

EUH208: May produce an allergic reaction. Contains: metazachlor (ISO)

EUH208: May produce an allergic reaction. Contains: 1,2-benzisothiazol-3(2H)-one, 2-

methylisothiazol-3(2H)-one

Hazard determining component(s) for labelling: metazachlor (ISO), 2-methylisothiazol-3(2H)-one

## 2.3. Other hazards

## According to Regulation (EC) No 1272/2008 [CLP]

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture. Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

## **SECTION 3: Composition/Information on Ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

## Chemical nature

crop protection product, herbicide, suspension concentrate (SC)

Date / Revised: 28.12.2022 Version: 8.0 Date previous version: 30.09.2021 Previous version: 7.0

Date / First version: 23.12.2011

Product: **Butisan® S** 

(ID no. 30234076/SDS\_CPA\_IE/EN)

Date of print 23.02.2023

#### Regulatory relevant ingredients

metazachlor (ISO); 2-chloro-N-(2,6-dimethylphenyl)-N-(1H-pyrazol-1-ylmethyl)-acetamide

Content (W/W): 43.5 % Skin Sens. 1B CAS Number: 67129-08-2 Carc. 2

EC-Number: 266-583-0 Aquatic Acute 1

> Aquatic Chronic 1 M-factor acute: 100 M-factor chronic: 100 H317, H351, H400, H410

Benzenesulfonic acid, hydroxy-, polymer with formaldehyde, phenol and urea, sodium salt

Content (W/W): < 5 % Eye Dam./Irrit. 2 CAS Number: 102980-04-1 Aquatic Chronic 3 H319, H412

2-methylisothiazol-3(2H)-one

Content (W/W): < 0.015 % Acute Tox. 2 (Inhalation - dust)

CAS Number: 2682-20-4 Acute Tox. 3 (oral) EC-Number: 220-239-6 Acute Tox. 3 (dermal) REACH registration number: 01-Skin Corr./Irrit. 1B Eye Dam./Irrit. 1

2120764690-50

INDEX-Number: 613-326-00-9

Skin Sens. 1A Aquatic Acute 1 Aquatic Chronic 1 M-factor acute: 10 M-factor chronic: 1

H330, H317, H314, H301 + H311, H400, H410

EUH071

Specific concentration limit: Skin Sens. 1A: >= 0.0015 %

Propane-1,2-diol

Content (W/W): < 20 % CAS Number: 57-55-6 EC-Number: 200-338-0

REACH registration number: 01-

2119456809-23

For the classifications not written out in full in this section, including the hazard classes and the hazard statements, the full text is listed in section 16.

## **SECTION 4: First-Aid Measures**

## 4.1. Description of first aid measures

Remove contaminated clothing.

If inhaled:

Date / Revised: 28.12.2022 Version: 8.0
Date previous version: 30.09.2021 Previous version: 7.0

Date / First version: 23.12.2011

Product: Butisan® S

(ID no. 30234076/SDS\_CPA\_IE/EN)

Date of print 23.02.2023

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

Wash thoroughly with soap and water

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On indestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

## 4.2. Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

## 4.3. Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

## **SECTION 5: Fire-Fighting Measures**

## 5.1. Extinguishing media

Suitable extinguishing media: water spray, foam, dry powder, carbon dioxide

## 5.2. Special hazards arising from the substance or mixture

Endangering substances: carbon monoxide, hydrogen chloride, Carbon dioxide, nitrogen oxides, halogenated compounds, sulfur oxides, silicon oxides

Advice: The substances/groups of substances mentioned can be released in case of fire.

## 5.3. Advice for fire-fighters

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

#### Further information:

In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

Date / Revised: 28.12.2022 Version: 8.0
Date previous version: 30.09.2021 Previous version: 7.0

Date / First version: 23.12.2011

Product: Butisan® S

(ID no. 30234076/SDS\_CPA\_IE/EN)

Date of print 23.02.2023

## **SECTION 6: Accidental Release Measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

## 6.2. Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Do not allow contamination of public drains or surface or ground waters. Inform local water plc if spillage enters drains and the Environmental Protection Agency if it enters surface or ground waters. Keep people and animals away.

## 6.3. Methods and material for containment and cleaning up

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Wear suitable protective equipment.

#### 6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

## **SECTION 7: Handling and Storage**

## 7.1. Precautions for safe handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

No special precautions necessary. The substance/product is non-combustible. Product is not explosive.

## 7.2. Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Protect from temperatures below:-5 °C

Changes in the properties of the product may occur if substance/product is stored below indicated temperature for extended periods of time.

Protect from temperatures above:40 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

Date / Revised: 28.12.2022 Version: 8.0
Date previous version: 30.09.2021 Previous version: 7.0

Date / First version: 23.12.2011

Product: Butisan® S

(ID no. 30234076/SDS\_CPA\_IE/EN)

Date of print 23.02.2023

## 7.3. Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

## **SECTION 8: Exposure Controls/Personal Protection**

## 8.1. Control parameters

Components with occupational exposure limits

Refer to the current schedule of occupational exposure standards published by the Irish HSA. For normal use and handling refer to the product label/leaflet. In all other cases the following apply.

57-55-6: Propane-1,2-diol

TWA value 470 mg/m3; 150 ppm (OEL (IE)), Total vapour and particulates TWA value 10 mg/m3 (OEL (IE)), Particulate

## 8.2. Exposure controls

#### Personal protective equipment

Respiratory protection:

Suitable respiratory protection for lower concentrations or short-term effect: Combination filter for gases/vapours of organic, inorganic, acid inorganic, alkaline compounds and toxic particles (e. g. EN 14387 Type ABEK-P3)

#### Hand protection:

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

#### Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

#### Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

#### General safety and hygiene measures

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

## **SECTION 9: Physical and Chemical Properties**

## 9.1. Information on basic physical and chemical properties

State of matter: liquid

Date / Revised: 28.12.2022 Version: 8.0
Date previous version: 30.09.2021 Previous version: 7.0

Date / First version: 23.12.2011

Product: Butisan® S

(ID no. 30234076/SDS\_CPA\_IE/EN)

Date of print 23.02.2023

Form: liquid

Colour: white to pink
Odour: faint odour, fruity

Odour threshold:

Not determined due to potential health hazard by inhalation.

crystallization temperature: approx. -8 °C (measured) boiling temperature: approx. 100 °C (measured)

(1,013 hPa)

Flammability: not highly flammable (Directive 92/69/EEC, A.12)

Lower explosion limit:

As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

Upper explosion limit:

As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

Flash point: (Directive 92/69/EEC, A.9)

No flash point - Measurement made

up to the boiling point.

Auto-ignition temperature: 552 °C (Directive 92/69/EEC, A.15) Thermal decomposition: No decomposition if stored and handled as prescribed/indicated.

pH value: approx. 5 - 8 (pH Meter)

(approx. 20 °C)

(measured with the undiluted

substance)

Viscosity, dynamic: approx. 82 mPa.s (OECD 114)

(20 °C, 100 1/s)

Solubility in water: dispersible

Partitioning coefficient n-octanol/water (log Kow):

The statements are based on the properties of the individual

components.

Information on: metazachlor (ISO); 2-chloro-N-(2,6-dimethylphenyl)-N-(1H-pyrazol-1-ylmethyl)-acetamide

Partitioning coefficient n-octanol/water (log Kow): 2.13

(22 °C)

-----

Vapour pressure: approx. 23 hPa

(20 °C)

Information applies to the solvent.

Density: approx. 1.15 g/cm3 (Directive 92/69/EEC, A.3)

(20 °C)

Date / Revised: 28.12.2022 Version: 8.0
Date previous version: 30.09.2021 Previous version: 7.0

Date / First version: 23.12.2011

Product: Butisan® S

(ID no. 30234076/SDS\_CPA\_IE/EN)

Date of print 23.02.2023

approx. 1.14 g/cm3

(55 °C)

Relative vapour density (air):

not applicable

#### 9.2. Other information

## Information with regard to physical hazard classes

**Explosives** 

Explosion hazard: not explosive (Directive 92/69/EEC, A.14)

Oxidizing properties

Fire promoting properties: not fire-propagating (Directive 2004/73/EC, A.21)

Other safety characteristics

Other Information: If necessary, information on other physical and chemical parameters is

indicated in this section.

Evaporation rate:

not applicable

## **SECTION 10: Stability and Reactivity**

## 10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

## 10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

## 10.3. Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

## 10.4. Conditions to avoid

See SDS section 7 - Handling and storage.

## 10.5. Incompatible materials

Substances to avoid:

strong oxidizing agents, strong bases, strong acids

## 10.6. Hazardous decomposition products

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

Date / Revised: 28.12.2022 Version: 8.0
Date previous version: 30.09.2021 Previous version: 7.0

Date / First version: 23.12.2011

Product: Butisan® S

(ID no. 30234076/SDS\_CPA\_IE/EN)

Date of print 23.02.2023

## **SECTION 11: Toxicological Information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Assessment of acute toxicity:

Of moderate toxicity after single ingestion. Virtually nontoxic after a single skin contact. Virtually nontoxic by inhalation.

Experimental/calculated data:

LD50 rat (oral): > 500 - < 2,000 mg/kg (OECD Guideline 423)

LC50 rat (by inhalation): > 6.2 mg/l 4 h

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

LD50 rat (dermal): > 4,000 mg/kg

No mortality was observed. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

## **Irritation**

Assessment of irritating effects:

Not irritating to the eyes. Not irritating to the skin.

Experimental/calculated data:

Skin corrosion/irritation

rabbit: non-irritant (OECD Guideline 404)

Serious eye damage/irritation

rabbit: non-irritant

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

#### Respiratory/Skin sensitization

Assessment of sensitization:

Sensitization after skin contact possible. The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: 2-methylisothiazol-3(2H)-one

Experimental/calculated data:

Buehler test guinea pig: skin sensitizing (OECD Guideline 406)

-----

Date / Revised: 28.12.2022 Version: 8.0
Date previous version: 30.09.2021 Previous version: 7.0

Date / First version: 23.12.2011

Product: Butisan® S

(ID no. 30234076/SDS\_CPA\_IE/EN)

Date of print 23.02.2023

#### Germ cell mutagenicity

## Assessment of mutagenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

#### Carcinogenicity

#### Assessment of carcinogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: metazachlor (ISO); 2-chloro-N-(2,6-dimethylphenyl)-N-(1H-pyrazol-1-ylmethyl)-acetamide

Assessment of carcinogenicity:

Indication of possible carcinogenic effect in animal tests.

\_\_\_\_\_

#### Reproductive toxicity

#### Assessment of reproduction toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

#### Developmental toxicity

#### Assessment of teratogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

## Specific target organ toxicity (single exposure)

## Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

#### Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

#### Assessment of repeated dose toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Date / Revised: 28.12.2022 Version: 8.0
Date previous version: 30.09.2021 Previous version: 7.0

Date / First version: 23.12.2011

Product: Butisan® S

(ID no. 30234076/SDS\_CPA\_IE/EN)

Date of print 23.02.2023

Information on: metazachlor (ISO); 2-chloro-N-(2,6-dimethylphenyl)-N-(1H-pyrazol-1-ylmethyl)-acetamide

Assessment of repeated dose toxicity:

Repeated exposure to large quantities may affect certain organs. Based on available data, the classification criteria are not met.

-----

#### Aspiration hazard

The product has not been tested. The statement has been derived from the properties of the individual components.

No aspiration hazard expected.

#### Interactive effects

No data available.

## 11.2. Information on other hazards

## **Endocrine disrupting properties**

Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

## Other information

Other relevant toxicity information

Misuse can be harmful to health.

## **SECTION 12: Ecological Information**

## 12.1. Toxicity

Assessment of aquatic toxicity:

Very toxic to aquatic life with long lasting effects.

The product has not been tested. The statement has been derived from the properties of the individual components.

Toxicity to fish:

Date / Revised: 28.12.2022 Version: 8.0
Date previous version: 30.09.2021 Previous version: 7.0

Date / First version: 23.12.2011

Product: Butisan® S

(ID no. 30234076/SDS\_CPA\_IE/EN)

Date of print 23.02.2023

LC50 (96 h) > 10 - < 15 mg/l, Oncorhynchus mykiss

Aquatic invertebrates:

EC50 (48 h) > 100 mg/l, Daphnia magna

Aquatic plants:

EC50 (72 h) 0.027 mg/l (growth rate), Pseudokirchneriella subcapitata

EC10 (72 h) 0.0125 mg/l (growth rate), Pseudokirchneriella subcapitata

EC50 (7 h) 0.033 mg/l, Lemna gibba

No observed effect concentration (7 h) < 0.005 mg/l

Chronic toxicity to fish:

No observed effect concentration (28 d) 3.16 mg/l, Oncorhynchus mykiss

Chronic toxicity to aquatic invertebrates:

No observed effect concentration (21 d) 50 mg/l, Daphnia magna

## 12.2. Persistence and degradability

Assessment biodegradation and elimination (H2O):

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on:metazachlor (ISO); 2-chloro-N-(2,6-dimethylphenyl)-N-(1H-pyrazol-1-ylmethyl)-acetamide

Assessment biodegradation and elimination (H2O):

Not readily biodegradable (by OECD criteria).

-----

## 12.3. Bioaccumulative potential

Assessment bioaccumulation potential:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on:metazachlor (ISO); 2-chloro-N-(2,6-dimethylphenyl)-N-(1H-pyrazol-1-ylmethyl)-acetamide

Assessment bioaccumulation potential:

No significant accumulation in organisms is expected as a result of the distribution coefficient of noctanol/water (log Pow).

, , ,

## 12.4. Mobility in soil

Date / Revised: 28.12.2022 Version: 8.0
Date previous version: 30.09.2021 Previous version: 7.0

Date / First version: 23.12.2011

Product: **Butisan® S** 

(ID no. 30234076/SDS\_CPA\_IE/EN)

Date of print 23.02.2023

Assessment transport between environmental compartments:

Adsorption in soil: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on:metazachlor (ISO); 2-chloro-N-(2,6-dimethylphenyl)-N-(1H-pyrazol-1-ylmethyl)-acetamide

Assessment transport between environmental compartments:

Adsorption in soil: Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.

-----

#### 12.5. Results of PBT and vPvB assessment

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

## 12.6. Endocrine disrupting properties

Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

## 12.7. Other adverse effects

The product does not contain substances that are listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

#### 12.8. Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

## **SECTION 13: Disposal Considerations**

#### 13.1. Waste treatment methods

Must be disposed of or incinerated in accordance with local regulations.

Contaminated packaging:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

Date / Revised: 28.12.2022 Version: 8.0
Date previous version: 30.09.2021 Previous version: 7.0

Date / First version: 23.12.2011

Product: Butisan® S

(ID no. 30234076/SDS\_CPA\_IE/EN)

Date of print 23.02.2023

## **SECTION 14: Transport Information**

## Land transport

**ADR** 

UN number or ID number: UN3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (METAZACHLOR)

Transport hazard class(es): 9, EHSM

Packing group: III Environmental hazards: yes

Special precautions for

user: None known

**RID** 

UN number or ID number: UN3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (METAZACHLOR)

Transport hazard class(es): 9, EHSM

Packing group: III Environmental hazards: yes

Special precautions for

None known

user:

## **Inland waterway transport**

ADN

UN number or ID number: UN3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (METAZACHLOR)

Transport hazard class(es): 9, EHSM

Packing group: III Environmental hazards: yes

Special precautions for None known

user:

Transport in inland waterway vessel

Not evaluated

## Sea transport

**IMDG** 

Date / Revised: 28.12.2022 Version: 8.0
Date previous version: 30.09.2021 Previous version: 7.0

Date / First version: 23.12.2011

Product: Butisan® S

(ID no. 30234076/SDS\_CPA\_IE/EN)

Date of print 23.02.2023

UN number or ID number: UN 3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (METAZACHLOR)

Transport hazard class(es): 9, EHSM

Packing group: III Environmental hazards: yes

Marine pollutant: YES

Special precautions for

user:

EmS: F-A; S-F

## Air transport

## IATA/ICAO

UN number or ID number: UN 3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (METAZACHLOR)

Transport hazard class(es): 9, EHSM

Packing group: III Environmental hazards: yes

Special precautions for None known

user:

#### 14.1. UN number or ID number

See corresponding entries for "UN number or ID number" for the respective regulations in the tables above.

## 14.2. UN proper shipping name

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

#### 14.3. Transport hazard class(es)

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

## 14.4. Packing group

See corresponding entries for "Packing group" for the respective regulations in the tables above.

#### 14.5. Environmental hazards

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

## 14.6. Special precautions for user

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

Date / Revised: 28.12.2022 Version: 8.0
Date previous version: 30.09.2021 Previous version: 7.0

Date / First version: 23.12.2011

Product: Butisan® S

(ID no. 30234076/SDS\_CPA\_IE/EN)

Date of print 23.02.2023

## 14.7. Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

#### **Further information**

Product may be shipped as non-hazardous in suitable packages containing a net quantity of 5 L or less under the provisions of various regulatory agencies: ADR, RID, ADN: Special Provision 375; IMDG: 2.10.2.7; IATA: A197; TDG: Special Provision 99(2); 49CFR: §171.4 (c) (2) and also the Special Provision 375 in Appendix B which is regulated in China "Regulations Concerning Road Transportation of Dangerous Goods Part 3: Index of dangerous goods name and transportation requirements" (JT/T 617.3)

## **SECTION 15: Regulatory Information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Prohibitions, Restrictions and Authorizations

Annex XVII of Regulation (EC) No 1907/2006: Number on List: 3

Restrictions of Regulation (EC) No 1907/2006, Annex XVII, do not apply for the intended use(s) of the product given in this SDS.

Directive 2012/18/EU - Control of Major Accident Hazards involving dangerous substances (EU): List entry in regulation: E1

To avoid risks to man and the environment, comply with the instructions for use.

This product may be subject to the Seveso III Directive and amendments if specific threshold tonnages are exceeded.

For further medical advice Doctors should contact the National Poisons Information Centre at Beaumont Hospital, Dublin.

#### 15.2. Chemical Safety Assessment

Advice on product handling can be found in sections 7 and 8 of this safety data sheet.

#### **SECTION 16: Other Information**

For proper and safe use of this product, please refer to the approval conditions laid down on the product label.

Full text of the classifications, including the hazard classes and the hazard statements, if mentioned

in section 2 or 3:

Acute Tox. Acute toxicity
Skin Sens. Skin sensitization
Carc. Carcinogenicity

Aquatic Acute Hazardous to the aquatic environment - acute Aquatic Chronic Hazardous to the aquatic environment - chronic

Date / Revised: 28.12.2022 Version: 8.0
Date previous version: 30.09.2021 Previous version: 7.0

Date / First version: 23.12.2011

Product: **Butisan® S** 

Eye Dam./Irrit.

(ID no. 30234076/SDS\_CPA\_IE/EN)

Date of print 23.02.2023

| Skin Corr./Irrit. | Skin corrosion/irritation            |
|-------------------|--------------------------------------|
| H302              | Harmful if swallowed.                |
| H317              | May cause an allergic skin reaction. |
| LI251             | Supported of causing concer          |

Serious eye damage/eye irritation

H351 Suspected of causing cancer.
H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

EUH401 To avoid risks to human health and the environment, comply with the

instructions for use.

H351 Suspected of causing cancer. H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

H330 Fatal if inhaled.

H314 Causes severe skin burns and eye damage. H301 + H311 Toxic if swallowed or in contact with skin

EUH071 Corrosive to the respiratory tract.

#### Abbreviations

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road. ADN = The European Agreement concerning the International Carriage of Dangerous Goods by Inland waterways. ATE = Acute Toxicity Estimates. CAO = Cargo Aircraft Only. CAS = Chemical Abstract Service. CLP = Classification, Labelling and Packaging of substances and mixtures. DIN = German national organization for standardization. DNEL = Derived No Effect Level. EC50 = Effective concentration median for 50% of the population. EC = European Community. EN = European Standards. IARC = International Agency for Research on Cancer. IATA = International Air Transport Association. IBC-Code = Intermediate Bulk Container code. IMDG = International Maritime Dangerous Goods Code. ISO = International Organization for Standardization. STEL = Short-Term Exposure Limit. LC50 = Lethal concentration median for 50% of the population. LD50 = Lethal dose median for 50% of the population. TLV = Threshold Limit Value. MARPOL = The International Convention for the Prevention of Pollution from Ships. NEN = Dutch Norm. NOEC = No Observed Effect Concentration. OEL = Occupational Exposure Limit. OECD = Organization for Economic Cooperation and Development. PBT = Persistent, Bioaccumulative and Toxic. PNEC = Predicted No Effect Level. PPM = Parts per million. RID = The European Agreement concerning the International Carriage of Dangerous Goods by Rail. TWA = Time Weight Average. UN-number = UN number at transport. vPvB = very Persistent and very Bioaccumulative.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.