Document size: 115x130 mm (width x height)
Gross size: 135x130 mm (width x height)

BASF
We create chemistry

Venture® Extra

A broad spectrum fungicide for use in winter wheat, spring wheat, durum wheat, winter barley, spring barley, oats, rye and triticale.

A suspension concentrate containing 210 g/litre boscalid plus 75 g/litre epoxiconazole.

Risk and Safety Information

Danger

Causes serious eye irritation.
Suspected of causing cancer.
May damage the unborn child. Suspected of damaging fertility.
Very toxic to aquatic life with long lasting effects.



Wear protective gloves/clothing/eye protection.
Wash contaminated body parts with water and soap thoroughly after handling.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
IF exposed or concerned: Call a POISON CENTRE or doctor/physician.
Store locked up.
Dispose of contents/container to a licensed hazardous waste disposal contractor or collection site except for triple rinsed empty containers which can be disposed of as non-hazardous waste.

To protect aquatic organisms respect an unsprayed buffer zone of 5m to surface water bodies.

Contains 1,2 benzisothiazol-3(2H)-one. May produce an allergic reaction.
To avoid risks to human health and the environment, comply with the instructions for use.

PCS No. : 04447

SPECIMEN

Supplied by:
BASF Ireland Limited, P.O. Box 4, Earl Road, Cheadle Hulme, CHEADLE, Cheshire SK8 6QG, UK

Emergency Information (24 hours freephone): 0049 180 227 3112
Technical Enquiries: 0044 (0)845 602 2553 (office hours)

Authorization holder:
BASF plc, P.O. Box 4, Earl Road, Cheadle Hulme, CHEADLE, Cheshire, SK8 6QG, UK

5 L

® = Registered trademark of BASF

81137749 IE 1109

FOR USE ONLY AS AN AGRICULTURAL FUNGICIDE, as directed below:

Crops	Maximum individual dose	Maximum number of treatments	Latest time of application
Wheat (winter) Wheat (spring) Durum wheat Rye Triticale	1.5 litre product ha/ crop	2 per crop	Up to and including flowering (anthesis) just complete (GS 69)
Barley (winter) Barley (spring) Oats	1.5 litre product ha/ crop	2 per crop	Up to and including emergence of ear just complete (GS 59)

A Minimum interval of 21 days between applications must be observed.

READ ALL PRECAUTIONS BEFORE USE

PCS No. : 04447

PRECAUTIONS

WEAR SUITABLE PROTECTIVE CLOTHING (COVERALLS), SUITABLE PROTECTIVE GLOVES AND FACE PROTECTION (FACESHIELD) when handling the concentrate.
WEAR SUITABLE PROTECTIVE CLOTHING (COVERALLS) AND SUITABLE PROTECTIVE GLOVES when handling contaminated surfaces.
WASH HANDS AND EXPOSED SKIN before meals and after work.
WHEN USING DO NOT EAT, DRINK OR SMOKE.
KEEP AWAY FROM FOOD, DRINK AND ANIMAL FEEDING STUFFS.
KEEP OUT OF REACH OF CHILDREN.
TOXIC TO AQUATIC ORGANISMS, may cause long-term adverse effects in the aquatic environment. Do not contaminate surface waters or ditches with chemical or used container.
Do not contaminate water with the product or its container. (Do not clean application equipment near surface water / Avoid contamination via drains from farmyards and roads).
To protect aquatic organisms respect an unsprayed buffer zone of 5m to surface water bodies.
IF SWALLOWED, seek medical advice immediately and show this container or label.
KEEP IN ORIGINAL CONTAINER, tightly closed, in a safe place.
RINSE CONTAINER THOROUGHLY by using an integrated pressure rinsing device or manually rinsing three times. Add washings to sprayer at time of filling and dispose of safely.

STORAGE

Store in a suitable pesticide store. Keep dry and protect from frost.

SPECIMEN

DIRECTIONS FOR USE

IMPORTANT: This information is approved as part of the Product Label. All instructions within this section must be read carefully in order to obtain safe and successful use of this product.

Venture Extra is a broad-spectrum fungicide with systemic, protectant and curative properties for use in winter wheat, spring wheat, durum wheat, winter barley, spring barley, oats, rye and triticale.

Restrictions/Warnings

For professional use only.
For use by tractor mounted/trailed sprayers only.
This product may cause damage to broad-leaved plant species.
Avoid spray drift on to neighbouring crops.
Effects on baking and brewing have not been fully tested. Consult the grain merchant or processor before use.
Wash equipment thoroughly after use.

Disease control

Venture Extra is a broad-spectrum fungicide for use in winter wheat, spring wheat, durum wheat, winter barley, spring barley, oats, rye and triticale for disease control as summarised below.

	Winter Wheat	Spring Wheat	Durum Wheat	Winter Barley	Spring Barley	Oats	Rye	Triticale
Septorialeafblotch (*Mycosphaerella graminicola)*	MC	MC	MC	-	-	-	-	MC
Glume blotch (*Septoria nodorum)*	MC	MC	MC	-	-	-	-	MC
Powdery mildew	-	-	-	C	C	C	C	-
Brown rust	C	C	C	C	C	-	C	C
Yellow rust	C	C	C	C	C	-	C	C
Rhynchosporium secalis (leaf scald)	-	-	-	R	R	-	R	-
Net blotch	-	-	-	MC	MC	-	-	-
Tan Spot	*R	*R	*R	-	-	-	-	-

SPECIMEN

81137749 LEV_IE_Venture® Extra_1X5 L.indd 3 04.11.2019 18:37:33

	Winter Wheat	Spring Wheat	Durum Wheat	Winter Barley	Spring Barley	Oats	Rye	Triticale
Ramularia	-	-	-	R	R	-	-	-
Eyespot (*Oculimacula spp*)	MC	MC	MC	MC	MC	MC	MC	MC
Crown rust	-	-	-	-	-	C	-	-
Fusarium ear blight #	GR	GR	GR	-	-	-	-	-
Sooty moulds (*Cladosporium, Botrytis*)	GR	GR	GR	-	-	-	-	-

C = Control
MC = Moderate Control
GR = good reduction
R = Reduction
*Recommendation based on limited evidence of effectiveness

Application of Venture Extra to ears of wheat can lead to reduction of the mycotoxin deoxynivalenol (DON) associated with *Fusarium* ear blight infection, but this level of effect may not necessarily lead to reduction of DON below the statutory limit in wheat grain.

Resistance Management

Use Venture Extra as part of an Integrated Crop Management (ICM) strategy incorporating other methods of control, including where appropriate other fungicides with a different mode of action.

Venture Extra contains epoxiconazole, a DMI fungicide. Resistance to some DMI fungicides has been identified in Septoria leaf blotch (*Mycosphaerella graminicola*) which may seriously affect the performance of some products. For further advice on resistance management in DMIs contact your agronomist or specialist advisor, and visit the FRAG-UK website.

Venture Extra contains boscalid which belongs to the SDHI (carboxamide) group of fungicides. To minimise the risk of resistance occurring, apply a maximum of two SDHI fungicide sprays per cereal crop.

Crop Specific Information

Venture Extra is a fungicide for use in winter wheat, spring wheat, durum wheat, winter barley, spring barley, oats, rye and triticale.

SPECIMEN

Time of Application

Apply Venture Extra at the start of foliar or stem based disease attack. A maximum of two applications can be made up to and including flowering (anthesis) just complete (GS69) in winter and spring wheat, durum wheat, rye and triticale, and up to and including emergence of ear just complete (GS59) in winter and spring barley and oats.

For protection against *Fusarium* ear blight and sooty mould on the ears of winter and spring wheat and durum wheat, apply Venture Extra during ear emergence.

Rate of Application

Apply 1.5 litres Venture Extra in a minimum of 200 to 300 litres of water per hectare.

Venture Extra may be applied at 1.5 litres per hectare in 100 litres of water per hectare although efficacy at this reduced volume has not been evaluated. Therefore application at 100 litres of water per hectare is at user's risk with regard to biological efficacy. Reducing the water volume is not recommended where control of stem base diseases is required.

Following Crops

After treating a cereal crop with Venture Extra, onions, oats, sugar beet, oilseed rape, cabbages, carrots, sunflowers, barley, lettuce, ryegrass, dwarf French beans, peas, potatoes, clover, wheat, field beans and maize may be sown as the following crop.

Mixing and Application

Mixing

Never prepare more spray solution than is required.

Three quarters fill the tank with clean water and start the agitation. To ensure thorough mixing of the product, invert the container several times before opening. Add the required quantity of Venture Extra to the spray tank while re-circulating. Add the remainder of the water and continue agitation until spraying is complete.

When tank mixes are to be used, take due note of any instructions given as to the order of mixing. Each product should be added separately to the spray tank and fully dispersed before the addition of any further product(s).

All tank mixes should be used immediately after mixing.

On emptying the container, rinse container thoroughly by using an integrated pressure rinsing device or by manually rinsing three times. Add washings to tank at time of filling and dispose of container safely.

SPECIMEN

81137749 LEV_IE_Venture® Extra_1X5 L.indd 5 04.11.2019 18:37:33

The following does not form part of the product label under S.I. No. 159 of 2012

With many products there is a general risk of resistance developing to the active ingredients. For this reason a change in activity cannot be ruled out. It is generally impossible to predict with certainty how resistance may develop because there are so many crop and use connected ways of influencing this. We therefore have to exclude liability for damage or loss attributable to any such resistance that may develop. To help minimise any loss in activity the BASF recommended rate should in all events be adhered to.

Numerous, particularly regional or regionally attributable, factors can influence the activity of the product. Examples include weather and soil conditions, crop plant varieties, crop rotation, treatment times, application amounts, admixture with other products, appearance of organisms resistant to active ingredients and spraying techniques. Under particular conditions a change in activity or damage to plants cannot be ruled out. The manufacturer or supplier is therefore unable to accept any liability in such circumstances. All goods supplied by us are of high grade and we believe them to be suitable, but as we cannot exercise control over their mixing or use or the weather conditions during and after application, which may affect the performance of the material, all conditions and warranties, statutory or otherwise, as to the quality or fitness for any purpose of our goods are excluded and no responsibility will be accepted by us for any damage or injury whatsoever arising from their storage, handling, application or use; but nothing should be deemed to exclude or restrict any liability upon us which cannot be excluded or restricted under the provisions of any applicable law.

SPECIMEN

81137749 LEV_IE_Venture® Extra_1X5 L.indd 6 04.11.2019 18:37:33

Section 6 of the Health and Safety at Work Act

Additional Product Safety Information

This section does not form part of the product label under S.I. No. 159 of 2012.

The information on this label is based on the best available information including data from test results.

Safety Data Sheet

To access the Safety Data Sheet for this product scan the QR code or use the weblink below:

bit.ly/Venture_Extra_sds

Alternatively, contact your supplier.

SPECIMEN

81137749 LEV_IE_Venture® Extra_1X5 L.indd 7 04.11.2019 18:37:33

Document size: 115x130 mm (width x height)
Gross size: 135x130 mm (width x height)

BASF
We create chemistry

Venture® Extra

A broad spectrum fungicide for use in winter wheat, spring wheat, durum wheat, winter barley, spring barley, oats, rye and triticale.

A suspension concentrate containing 210 g/litre boscalid plus 75 g/litre epoxiconazole.

Risk and Safety Information

Danger

Causes serious eye irritation.
Suspected of causing cancer.
May damage the unborn child. Suspected of damaging fertility.
Very toxic to aquatic life with long lasting effects.



Wear protective gloves/clothing/eye protection.
Wash contaminated body parts with water and soap thoroughly after handling.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
IF exposed or concerned: Call a POISON CENTRE or doctor/physician.
Store locked up.
Dispose of contents/container to a licensed hazardous waste disposal contractor or collection site except for triple rinsed empty containers which can be disposed of as non-hazardous waste.

To protect aquatic organisms respect an unsprayed buffer zone of 5m to surface water bodies.

Contains 1,2 benzisothiazol-3(2H)-one. May produce an allergic reaction.
To avoid risks to human health and the environment, comply with the instructions for use.

PCS No. : 04447

SPECIMEN

Supplied by:
BASF Ireland Limited, P.O. Box 4, Earl Road, Cheadle Hulme, CHEADLE, Cheshire SK8 6QG, UK
Emergency Information (24 hours freephone): 0049 180 227 3112
Technical Enquiries: 0044 (0)845 602 2553 (office hours)

Authorization holder:
BASF plc, P.O. Box 4, Earl Road, Cheadle Hulme, CHEADLE, Cheshire, SK8 6QG, UK

5 L

® = Registered trademark of BASF

81137749 IE 1109