

Safety data sheet

Page: 1/19

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 19.09.2024 Version: 8.0
Date / Previous version: 12.09.2024 Previous version: 7.0

Product: Imtrex

(ID no. 30509898/SDS CPA IE/EN)

Date of print 19.09.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Imtrex

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: crop protection product, fungicide

1.3. Details of the supplier of the safety data sheet

Company:
BASF plc
4th and 5th Floors
2 Stockport Exchange
Railway Road, Stockport, SK1 3GG
UNITED KINGDOM

Contact address:
BASF Ireland DAC
Asgard House, 19-20 City Quay
Dublin, D02 K744
Ireland

Telephone: +353 21 451-7100

E-mail address: product-safety-uk-and-ireland@basf.com

1.4. Emergency telephone number

For products classified as hazardous in accordance with CLP: National Poisons Information Centre, Beaumont Hospital, Dublin 9 Emergency medical information: 8am-10pm (seven days)

Tel.: 01 8092566

International emergency number: Telephone: +49 180 2273-112

Date / Revised: 19.09.2024 Version: 8.0

Date / Previous version: 12.09.2024 Previous version: 7.0

Product: Imtrex

(ID no. 30509898/SDS CPA IE/EN)

Date of print 19.09.2024

SECTION 2: Hazards Identification

2.1. Classification of the substance or mixture

For the classification of the mixture the following methods have been applied: extrapolation on the concentration levels of the hazardous substances, on basis of test results and after evaluation of experts. The methodologies used are mentioned at the respective test results.

According to Regulation (EC) No 1272/2008 [CLP]

Acute Tox. 4 (Inhalation - mist) H332 Harmful if inhaled.

Eye Dam./Irrit. 2 H319 Causes serious eye irritation.

Repr. Additional category for H362 May cause harm to breast-fed children.

effects on or via lactation.

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

For the classifications not written out in full in this section the full text can be found in section 16.

2.2. Label elements

According to Regulation (EC) No 1272/2008 [CLP]

Globally Harmonized System (GHS) in accordance with IE regulations.

Pictogram:





Signal Word:

Warning

Hazard Statement:

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H362 May cause harm to breast-fed children.H411 Toxic to aquatic life with long lasting effects.

Precautionary Statement:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

Precautionary Statements (Prevention):

P271 Use only outdoors or in a well-ventilated area.
P280 Wear protective gloves/clothing/eye protection.

P260 Do not breathe dust/mist/vapours.

P202 Do not handle until all safety precautions have been read and

understood.

P263 Avoid contact during pregnancy and while nursing.
P264 Wash with plenty of water thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.

Precautionary Statements (Response):

P308 + P311 IF exposed or concerned: Call a POISON CENTER or physician.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

Date / Revised: 19.09.2024 Version: 8.0

Date / Previous version: 12.09.2024 Previous version: 7.0

Product: Imtrex

(ID no. 30509898/SDS CPA IE/EN)

Date of print 19.09.2024

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for

breathing.

P391 Collect spillage.

P337 If eye irritation persists:

P311 Call a POISON CENTER or physician.

Precautionary Statements (Disposal):

P501 Dispose of contents/container to a licensed hazardous waste disposal

contractor or collection site except for triple rinsed empty containers

which can be disposed of as non-hazardous waste.

Labeling of special preparations (GHS):

EUH208: May produce an allergic reaction. Contains: 2-ethylhexyl (2S)-2-hydroxypropanoate, benzyl alcohol

Hazard determining component(s) for labelling: 1H-Pyrazole-4-carboxamide, 3-(difluoromethyl)-1-methyl-N-(3',4',5'-trifluoro[1,1'-biphenyl]-2-yl)-; Fluxapyroxad

2.3. Other hazards

According to Regulation (EC) No 1272/2008 [CLP]

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture. Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

SECTION 3: Composition/Information on Ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Chemical nature

crop protection product, fungicide, Emulsifiable concentrate (EC)

Regulatory relevant ingredients

1H-Pyrazole-4-carboxamide, 3-(difluoromethyl)-1-methyl-N-(3',4',5'-trifluoro[1,1'-biphenyl]-2-yl)-; Fluxapyroxad

Date / Revised: 19.09.2024 Version: 8.0

Date / Previous version: 12.09.2024 Previous version: 7.0

Product: Imtrex

(ID no. 30509898/SDS CPA IE/EN)

Date of print 19.09.2024

Content (W/W): 6.02 % CAS Number: 907204-31-3

Aquatic Acute 1 Aquatic Chronic 1 M-factor acute: 1

Repr. Add. cat. lact.

Substance with EU occupational

exposure limit

M-factor chronic: 1 H362, H400, H410

2-ethylhexyl (2S)-2-hydroxypropanoate

Content (W/W): < 30 % CAS Number: 186817-80-1 REACH registration number: 01-2119516238-41

Eye Dam./Irrit. 2 Skin Sens. 1B H319, H315, H317

Acute Tox. 4 (oral)

Skin Corr./Irrit. 2

benzyl alcohol

Content (W/W): < 25 %
CAS Number: 100-51-6
EC-Number: 202-859-9
REACH registration number: 01-

Eye Irrit. 2 Skin Sens. 1B H319, H302, H317

2119492630-38 INDEX-Number: 603-057-00-5

Acute toxicity estimate:

Substance with EU occupational

exposure limit

oral: 1,200 mg/kg

Methyl-Oxirane, Blockpolymer with Oxirane, Monoisotridecyl ether

Content (W/W): < 20 % Eye Dam./Irrit. 2

CAS Number: 196823-11-7 H319

Poly(oxy-1,2-ethanediyl), .alpha.-[tris(1-phenylethyl)phenyl]-.omega.-hydroxy-

Content (W/W): < 15 % Aquatic Chronic 3

CAS Number: 99734-09-5 H412

Solvent naphtha (petroleum), heavy arom.

Content (W/W): < 10 % Asp. Tox. 1 CAS Number: 64742-94-5 Skin Irrit. 2

EC-Number: 265-198-5 STOT SE 3 (drowsiness and dizziness)

REACH registration number: 01-

2119510128-50

Aquatic Chronic 2 H315, H304, H336, H411

INDEX-Number: 649-424-00-3

Dimethyl sulfoxide

Content (W/W): < 10 % Eye Dam./Irrit. 2

CAS Number: 67-68-5 H319

EC-Number: 200-664-3

Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts

Page: 5/19

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 19.09.2024 Version: 8.0

Date / Previous version: 12.09.2024 Previous version: 7.0

Product: Imtrex

(ID no. 30509898/SDS CPA IE/EN)

Date of print 19.09.2024

Content (W/W): < 5 %
CAS Number: 68953-96-8
EC-Number: 273-234-6
REACH registration number: 01-

-234-6 Eye Dam./Irrit. 1 on number: 01- Aquatic Chronic 2 H318, H315, H312, H411

Alcohols, C11-14-iso-, C13-rich, ethoxylated

2119964467-24

Content (W/W): < 3 % CAS Number: 78330-21-9 Acute Tox. 4 (oral) Eye Dam./Irrit. 1 Aquatic Acute 1 Aquatic Chronic 2 H318, H302, H411, H400

Acute Tox. 4 (dermal) Skin Corr./Irrit. 2

Dimethyl adipate

Content (W/W): < 20 % CAS Number: 627-93-0 EC-Number: 211-020-6

REACH registration number: 01-

2119911093-50

For the classifications not written out in full in this section, including the hazard classes and the hazard statements, the full text is listed in section 16.

SECTION 4: First-Aid Measures

4.1. Description of first aid measures

Show container, label and/or safety data sheet to physician.

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

Wash thoroughly with soap and water

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Date / Revised: 19.09.2024 Version: 8.0

Date / Previous version: 12.09.2024 Previous version: 7.0

Product: Imtrex

(ID no. 30509898/SDS CPA IE/EN)

Date of print 19.09.2024

Hazards: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11. (Further) symptoms and / or effects are not known so far

4.3. Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing media

Suitable extinguishing media: water spray, carbon dioxide, foam, dry powder

5.2. Special hazards arising from the substance or mixture

Endangering substances: carbon monoxide, Carbon dioxide, hydrogen fluoride, nitrogen oxides, halogenated compounds, sulfur oxides

Advice: The substances/groups of substances mentioned can be released in case of fire.

5.3. Advice for fire-fighters

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire.

SECTION 6: Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

6.2. Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Do not allow contamination of public drains or surface or ground waters. Inform local water plc if spillage enters drains and the Environmental Protection Agency if it enters surface or ground waters. Keep people and animals away.

Date / Revised: 19.09.2024 Version: 8.0

Date / Previous version: 12.09.2024 Previous version: 7.0

Product: Imtrex

(ID no. 30509898/SDS CPA IE/EN)

Date of print 19.09.2024

6.3. Methods and material for containment and cleaning up

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage. Pump off product.

Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Dispose of absorbed material in accordance with regulations. Wear suitable protective equipment.

6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

SECTION 7: Handling and Storage

7.1. Precautions for safe handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

Vapours may form ignitable mixture with air. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy.

7.2. Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Protect from temperatures below:-10 °C

Changes in the properties of the product may occur if substance/product is stored below indicated temperature for extended periods of time.

Protect from temperatures above:40 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time. If transport time lasts more than 4 days the packed product must be protected against exceeding the indicated temperature.

7.3. Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

SECTION 8: Exposure Controls/Personal Protection

8.1. Control parameters

Components with occupational exposure limits

Refer to the current schedule of occupational exposure standards published by the Irish HSA. For normal use and handling refer to the product label/leaflet. In all other cases the following apply.

Date / Revised: 19.09.2024 Version: 8.0

Date / Previous version: 12.09.2024 Previous version: 7.0

Product: Imtrex

(ID no. 30509898/SDS CPA IE/EN)

Date of print 19.09.2024

8.2. Exposure controls

Personal protective equipment

Respiratory protection:

Suitable respiratory protection for lower concentrations or short-term effect: Combination filter for gases/vapours of organic, inorganic, acid inorganic, alkaline compounds and toxic particles (e. g. EN 14387 Type ABEK-P3)

Hand protection:

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Eve protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Keep away from food, drink and animal feeding stuffs. Store work clothing separately.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

State of matter: liquid
Form: liquid
Colour: yellow, clear
Odour: faintly aromatic

Odour threshold:

Not determined since harmful by

inhalation.

crystallization temperature: < -20 °C (measured)

Boiling point: approx. 200 °C

Information applies to the solvent.

Flammability: not flammable (Directive 92/69/EEC, A.13)

Lower explosion limit:

As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

Date / Revised: 19.09.2024 Version: 8.0

Date / Previous version: 12.09.2024 Previous version: 7.0

Product: Imtrex

(ID no. 30509898/SDS CPA IE/EN)

Date of print 19.09.2024

Upper explosion limit:

As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

Flash point: 99 °C (Directive 92/69/EEC, A.9,

closed cup)

Auto-ignition temperature: 264 °C (Directive 92/69/EEC, A.15)

Thermal decomposition: 150 °C, 20 kJ/kg (DSC (OECD 113))

(onset temperature)

250 °C, 40 kJ/kg (DSC (OECD 113))

(onset temperature)

Not a substance liable to self-decomposition according to UN transport

regulations, class 4.1.

pH value: approx. 5 - 6 (pH Meter)

(water, 1 %(m), 20 °C)

Viscosity, dynamic: 9.5 mPa.s (OECD Guideline 114)

(40 °C, 100 1/s)

Solubility in water: emulsifiable

Partitioning coefficient n-octanol/water (log Kow):

not applicable

Vapour pressure: approx. 0.13 hPa

(25 °C)

Information applies to the solvent.

Density: approx. 1.04 g/cm3 (OECD Guideline 109)

(20 °C)

Relative vapour density (air):

not applicable

9.2. Other information

Information with regard to physical hazard classes

Explosives

Explosion hazard: not explosive

Oxidizing properties

Fire promoting properties: not fire-propagating (Directive 2004/73/EC, A.21)

Other safety characteristics

Other Information: If necessary, information on other physical and chemical parameters is

indicated in this section.

Evaporation rate:

not applicable

SECTION 10: Stability and Reactivity

10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Date / Revised: 19.09.2024 Version: 8.0

Date / Previous version: 12.09.2024 Previous version: 7.0

Product: Imtrex

(ID no. 30509898/SDS CPA IE/EN)

Date of print 19.09.2024

10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

10.3. Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

10.4. Conditions to avoid

See SDS section 7 - Handling and storage.

10.5. Incompatible materials

Substances to avoid:

strong acids, strong bases, strong oxidizing agents

10.6. Hazardous decomposition products

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

SECTION 11: Toxicological Information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Assessment of acute toxicity:

Of moderate toxicity after short-term inhalation. Virtually nontoxic after a single ingestion. Virtually nontoxic after a single skin contact.

Experimental/calculated data:

LD50 rat (oral): > 2,000 mg/kg (OECD Guideline 423)

No mortality was observed.

LC50 rat (by inhalation): > 1.0 - < 5.32 mg/l 4 h (OECD Guideline 403)

An aerosol was tested.

LD50 rat (dermal): > 5,000 mg/kg (OECD Guideline 402)

No mortality was observed.

Irritation

Assessment of irritating effects:

Eye contact causes irritation. Not irritating to the skin.

Experimental/calculated data:

Skin corrosion/irritation

rabbit: non-irritant (OECD Guideline 404)

Serious eye damage/irritation

rabbit: Irritant. (OECD Guideline 405)

Date / Revised: 19.09.2024 Version: 8.0
Date / Previous version: 12.09.2024 Previous version: 7.0

Product: Imtrex

(ID no. 30509898/SDS CPA IE/EN)

Date of print 19.09.2024

Respiratory/Skin sensitization

Assessment of sensitization:

No sensitizing effect.

Experimental/calculated data:

Mouse Local Lymph Node Assay (LLNA) mouse: Non-sensitizing. (OECD Guideline 429)

Germ cell mutagenicity

Assessment of mutagenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: benzyl alcohol

Assessment of mutagenicity:

The substance was mutagenic in various cell culture test systems; however, these results could not be confirmed in tests with mammals.

Carcinogenicity

Assessment of carcinogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: 1H-Pyrazole-4-carboxamide, 3-(difluoromethyl)-1-methyl-N-(3',4',5'-trifluoro[1,1'-

biphenyl]-2-yl)-; Fluxapyroxad Assessment of carcinogenicity:

Indication of possible carcinogenic effect in animal tests. The effect is caused by an animal specific mechanism that has no human counter part.

Information on: Solvent naphtha (petroleum), heavy arom.

Assessment of carcinogenicity:

Long-term exposure to highly irritating concentrations resulted in skin tumors in animals. A carcinogenic effect in humans can be excluded after brief skin contact. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Reproductive toxicity

Assessment of reproduction toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: 1H-Pyrazole-4-carboxamide, 3-(difluoromethyl)-1-methyl-N-(3',4',5'-trifluoro[1,1'-biphenyl]-2-yl)-: Fluxapyroxad

Assessment of reproduction toxicity:

The results of animal studies gave no indication of a fertility impairing effect. May cause harm to children via breast-feeding.

Date / Revised: 19.09.2024 Version: 8.0

Date / Previous version: 12.09.2024 Previous version: 7.0

Product: Imtrex

(ID no. 30509898/SDS CPA IE/EN)

Date of print 19.09.2024

Developmental toxicity

Assessment of teratogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

Specific target organ toxicity (single exposure)

Assessment of STOT single:

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: 1H-Pyrazole-4-carboxamide, 3-(difluoromethyl)-1-methyl-N-(3',4',5'-trifluoro[1,1'-

biphenyl]-2-yl)-; Fluxapyroxad

Assessment of repeated dose toxicity:

Adaptive effects were observed after repeated exposure in animal studies.

Information on: 2-ethylhexyl (2S)-2-hydroxypropanoate

Assessment of repeated dose toxicity:

After repeated exposure the prominent effect is local irritation.

Information on: benzyl alcohol

Assessment of repeated dose toxicity:

The substance may cause damage to the central nervous system after repeated ingestion of high doses.

Information on: Dimethyl adipate

Assessment of repeated dose toxicity:

After repeated exposure the prominent effect is local irritation. The substance can cause changes in the following organs after repeated exposure to large quantities: olfactory epithelium

Information on: Benzenesulfonic acid, mono-C11-13-branched alkyl derivs., calcium salts Assessment of repeated dose toxicity:

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. The substance may cause damage to the kidney after repeated ingestion of high doses, as shown in animal studies.

Aspiration hazard

not applicable

Date / Revised: 19.09.2024 Version: 8.0

Date / Previous version: 12.09.2024 Previous version: 7.0

Product: Imtrex

(ID no. 30509898/SDS CPA IE/EN)

Date of print 19.09.2024

Interactive effects

No data available.

11.2. Information on other hazards

Endocrine disrupting properties

Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

Other information

Other relevant toxicity information

Misuse can be harmful to health.

SECTION 12: Ecological Information

12.1. Toxicity

Assessment of aquatic toxicity:

Toxic to aquatic life with long lasting effects.

Toxicity to fish:

LC50 (96 h) 5.02 mg/l, Cyprinus carpio (OECD Guideline 203, static)

Aquatic invertebrates:

EC50 (48 h) 19.8 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)

Aquatic plants:

EC50 (72 h) 42.4 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201, static)

EC10 (72 h) 3.03 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201, static)

Information on:1H-Pyrazole-4-carboxamide, 3-(difluoromethyl)-1-methyl-N-(3',4',5'-trifluoro[1,1'-biphenyl]-2-yl)-; Fluxapyroxad

Chronic toxicity to fish:

No observed effect concentration (33 d) 0.0359 mg/l, Pimephales promelas (OECD Guideline 210, Flow through.)

Information on:1H-Pyrazole-4-carboxamide, 3-(difluoromethyl)-1-methyl-N-(3',4',5'-trifluoro[1,1'-biphenyl]-2-yl)-; Fluxapyroxad

Chronic toxicity to aquatic invertebrates:

No observed effect concentration (21 d) 0.5 mg/l, Daphnia magna (OECD Guideline 211, semistatic)

Date / Revised: 19.09.2024 Version: 8.0

Date / Previous version: 12.09.2024 Previous version: 7.0

Product: Imtrex

(ID no. 30509898/SDS CPA IE/EN)

Date of print 19.09.2024

12.2. Persistence and degradability

Assessment biodegradation and elimination (H2O):

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on:1H-Pyrazole-4-carboxamide, 3-(difluoromethyl)-1-methyl-N-(3',4',5'-trifluoro[1,1'-

biphenyl]-2-yl)-; Fluxapyroxad

Assessment biodegradation and elimination (H2O):

Not readily biodegradable (by OECD criteria).

12.3. Bioaccumulative potential

Assessment bioaccumulation potential:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on:1H-Pyrazole-4-carboxamide, 3-(difluoromethyl)-1-methyl-N-(3',4',5'-trifluoro[1,1'-biphenyl]-2-yl)-; Fluxapyroxad Bioaccumulation potential:

Bioconcentration factor(BCF): 36 - 37 (28 d), Lepomis macrochirus (OECD Guideline 305) Does not accumulate in organisms.

12.4. Mobility in soil

Assessment transport between environmental compartments:

Adsorption in soil: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on:1H-Pyrazole-4-carboxamide, 3-(difluoromethyl)-1-methyl-N-(3',4',5'-trifluoro[1,1'-biphenyl]-2-yl)-; Fluxapyroxad

Assessment transport between environmental compartments:

Adsorption in soil: Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

12.5. Results of PBT and vPvB assessment

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

Date / Revised: 19.09.2024 Version: 8.0

Date / Previous version: 12.09.2024 Previous version: 7.0

Product: Imtrex

(ID no. 30509898/SDS CPA IE/EN)

Date of print 19.09.2024

12.6. Endocrine disrupting properties

Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7. Other adverse effects

The product does not contain substances that are listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

SECTION 13: Disposal Considerations

13.1. Waste treatment methods

Must be sent to a suitable incineration plant, observing local regulations.

Contaminated packaging:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

SECTION 14: Transport Information

Land transport

ADR

UN number or ID number: UN3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (FLUXAPYROXAD, SOLVENT NAPHTHA)

Transport hazard class(es): 9, EHSM

Packing group: III Environmental hazards: yes

Special precautions for

user: None known

RID

UN number or ID number: UN3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (FLUXAPYROXAD, SOLVENT NAPHTHA)

Transport hazard class(es): 9, EHSM

Packing group: III Environmental hazards: yes

Date / Revised: 19.09.2024 Version: 8.0

Date / Previous version: 12.09.2024 Previous version: 7.0

Product: Imtrex

(ID no. 30509898/SDS CPA IE/EN)

Date of print 19.09.2024

Special precautions for

user:

None known

Inland waterway transport

ADN

UN number or ID number: UN3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (FLUXAPYROXAD, SOLVENT NAPHTHA)

Transport hazard class(es): 9, EHSM

Packing group: III Environmental hazards: yes

Special precautions for None known

user:

Transport in inland waterway vessel

Not evaluated

Sea transport

IMDG

UN number or ID number: UN 3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (FLUXAPYROXAD, SOLVENT NAPHTHA)

Transport hazard class(es): 9, EHSM

Packing group: III Environmental hazards: yes

Marine pollutant: YES

Special precautions for

user:

EmS: F-A; S-F

Air transport

IATA/ICAO

UN number or ID number: UN 3082

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,

N.O.S. (FLUXAPYROXAD, SOLVENT NAPHTHA)

Transport hazard class(es): 9, EHSM

Packing group: III Environmental hazards: yes

Special precautions for None known

user:

14.1. UN number or ID number

Date / Revised: 19.09.2024 Version: 8.0

Date / Previous version: 12.09.2024 Previous version: 7.0

Product: Imtrex

(ID no. 30509898/SDS CPA IE/EN)

Date of print 19.09.2024

See corresponding entries for "UN number or ID number" for the respective regulations in the tables above.

14.2. UN proper shipping name

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

14.3. Transport hazard class(es)

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

14.4. Packing group

See corresponding entries for "Packing group" for the respective regulations in the tables above.

14.5. Environmental hazards

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

14.6. Special precautions for user

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

14.7. Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

Further information

Product may be shipped as non-hazardous in suitable packages containing a net quantity of 5 L or less under the provisions of various regulatory agencies: ADR, RID, ADN: Special Provision 375; IMDG: 2.10.2.7; IATA: A197; TDG: Special Provision 99(2); 49CFR: §171.4 (c) (2) and also the Special Provision 375 in Appendix B which is regulated in China "Regulations Concerning Road Transportation of Dangerous Goods Part 3: Index of dangerous goods name and transportation requirements" (JT/T 617.3)

SECTION 15: Regulatory Information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Prohibitions, Restrictions and Authorizations

Annex XVII of Regulation (EC) No 1907/2006: Number on List: 3, 75

Restrictions of Regulation (EC) No 1907/2006, Annex XVII, do not apply for the intended use(s) of the product given in this SDS.

Directive 2012/18/EU - Control of Major Accident Hazards involving dangerous substances (EU): List entry in regulation: E2

Classification applies for standard conditions of temperature and pressure.

Page: 18/19

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 19.09.2024 Version: 8.0

Date / Previous version: 12.09.2024 Previous version: 7.0

Product: Imtrex

(ID no. 30509898/SDS CPA IE/EN)

Date of print 19.09.2024

To avoid risks to man and the environment, comply with the instructions for use.

This product may be subject to the Seveso III Directive and amendments if specific threshold tonnages are exceeded.

For further medical advice Doctors should contact the National Poison Information Centre at Beaumont Hospital, Dublin.

15.2. Chemical Safety Assessment

Advice on product handling can be found in sections 7 and 8 of this safety data sheet.

SECTION 16: Other Information

For proper and safe use of this product, please refer to the approval conditions laid down on the product label.

Full text of the classifications, including the hazard classes and the hazard statements, if mentioned

in section 2 or 3:

Acute Tox. Acute toxicity

Eye Dam./Irrit. Serious eye damage/eye irritation

Repr. Reproductive toxicity

Aquatic Chronic Hazardous to the aquatic environment - chronic Aquatic Acute Hazardous to the aquatic environment - acute

Skin Corr./Irrit.
Skin corrosion/irritation
Skin Sens.
Skin sensitization
Eye Irrit.
Eye irritation
Asp. Tox.
Skin Irrit.
Skin irritation

STOT SE Specific target organ toxicity — single exposure

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H362 May cause harm to breast-fed children.
H411 Toxic to aquatic life with long lasting effects.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H302 Harmful if swallowed.

H412 Harmful to aquatic life with long lasting effects. H304 May be fatal if swallowed and enters airways.

H336 May cause drowsiness or dizziness.
H318 Causes serious eye damage.
H312 Harmful in contact with skin.

Abbreviations

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road. ADN = The European Agreement concerning the International Carriage of Dangerous Goods by Inland waterways. ATE = Acute Toxicity Estimates. CAO = Cargo Aircraft Only. CAS = Chemical Abstract Service. CLP = Classification, Labelling and Packaging of substances and mixtures. DIN = German national organization for standardization. DNEL = Derived No Effect Level. EC50 = Effective concentration median for 50% of the population. EC = European Community. EN = European Standards.

Date / Revised: 19.09.2024 Version: 8.0

Date / Previous version: 12.09.2024 Previous version: 7.0

Product: Imtrex

(ID no. 30509898/SDS CPA IE/EN)

Date of print 19.09.2024

IARC = International Agency for Research on Cancer. IATA = International Air Transport Association. IBC-Code = Intermediate Bulk Container code. IMDG = International Maritime Dangerous Goods Code. ISO = International Organization for Standardization. STEL = Short-Term Exposure Limit. LC50 = Lethal concentration median for 50% of the population. LD50 = Lethal dose median for 50% of the population. TLV = Threshold Limit Value. MARPOL = The International Convention for the Prevention of Pollution from Ships. NEN = Dutch Norm. NOEC = No Observed Effect Concentration. OEL = Occupational Exposure Limit. OECD = Organization for Economic Cooperation and Development. PBT = Persistent, Bioaccumulative and Toxic. PNEC = Predicted No Effect Level. PPM = Parts per million. RID = The European Agreement concerning the International Carriage of Dangerous Goods by Rail. TWA = Time Weight Average. UN-number = UN number at transport. vPvB = very Persistent and very Bioaccumulative.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.