

## Safety data sheet

Page: 1/18

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 16.01.2025

Version: 3.0

Date / Previous version: 14.04.2023 Previous version: 2.0

Product: Insignia

(ID no. 30470159/SDS CPA IE/EN)

Date of print 16.01.2025

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

## Insignia

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: crop protection product, fungicide

## 1.3. Details of the supplier of the safety data sheet

Company:
BASF plc
4th and 5th Floors
2 Stockport Exchange
Railway Road, Stockport, SK1 3GG
UNITED KINGDOM

Contact address:
BASF Ireland DAC
Asgard House, 19-20 City Quay
Dublin, D02 K744
Ireland

\_\_\_\_\_

Telephone: +353 21 451-7100

E-mail address: product-safety-uk-and-ireland@basf.com

#### 1.4. Emergency telephone number

For products classified as hazardous in accordance with CLP: National Poisons Information Centre, Beaumont Hospital, Dublin 9 Emergency medical information: 8am-10pm (seven days)

Tel.: 01 8092566

International emergency number: Telephone: +49 180 2273-112

Date / Revised: 16.01.2025 Version: 3.0

Date / Previous version: 14.04.2023 Previous version: 2.0

Product: Insignia

(ID no. 30470159/SDS CPA IE/EN)

Date of print 16.01.2025

## **SECTION 2: Hazards Identification**

#### 2.1. Classification of the substance or mixture

For the classification of the mixture the following methods have been applied: extrapolation on the concentration levels of the hazardous substances, on basis of test results and after evaluation of experts. The methodologies used are mentioned at the respective test results.

#### According to Regulation (EC) No 1272/2008 [CLP]

Acute Tox. 4 (by inhalation) H332 Harmful if inhaled.

STOT SE 3 H335 May cause respiratory irritation.

Repr. 2 H361d Suspected of damaging the unborn child.

STOT RE 2 H373 May cause damage to organs (Liver, Nasal cavity,

Gastrointestinal tract) through prolonged or repeated exposure.

Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.

For the classifications not written out in full in this section the full text can be found in section 16.

#### 2.2. Label elements

According to Regulation (EC) No 1272/2008 [CLP]

Globally Harmonized System (GHS) in accordance with IE regulations.

## Pictogram:







## Signal Word:

#### Warning

## Hazard Statement:

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H373 May cause damage to organs (Liver, Nasal cavity, Gastrointestinal

tract) through prolonged or repeated exposure.

H361d Suspected of damaging the unborn child.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

EUH401 To avoid risks to human health and the environment, comply with the

instructions for use.

## Precautionary Statement:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read carefully and follow all instructions.

## Precautionary Statements (Prevention):

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and

understood.

P271 Use only outdoors or in a well-ventilated area.

P260 Do not breathe dust/gas/mist/vapours.

Page: 3/18

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 16.01.2025 Version: 3.0

Date / Previous version: 14.04.2023 Previous version: 2.0

Product: Insignia

(ID no. 30470159/SDS CPA IE/EN)

Date of print 16.01.2025

P280 Wear protective gloves, protective clothing and eye protection or face

protection.

Precautionary Statements (Response):

P312 Call a POISON CENTER or physician if you feel unwell.

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for

breathing.

P308 + P313 IF exposed or concerned: Get medical attention. P314 Get medical advice/attention if you feel unwell.

P391 Collect spillage. Precautionary Statements (Storage):

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up. Precautionary Statements (Disposal):

P501 Dispose of contents/container to a licensed hazardous waste disposal

contractor or collection site except for triple rinsed empty containers

which can be disposed of as non-hazardous waste.

Hazard determining component(s) for labelling: pyraclostrobin (ISO)

## 2.3. Other hazards

## According to Regulation (EC) No 1272/2008 [CLP]

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture. Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

#### **SECTION 3: Composition/Information on Ingredients**

## 3.1. Substances

Not applicable

#### 3.2. Mixtures

## Chemical nature

crop protection product, fungicide, water dispersible granules

#### Regulatory relevant ingredients

pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3-yloxymethyl]phenyl}(N-methoxy)carbamate

Date / Revised: 16.01.2025 Version: 3.0

Date / Previous version: 14.04.2023 Previous version: 2.0

Product: Insignia

(ID no. 30470159/SDS CPA IE/EN)

Date of print 16.01.2025

Content (W/W): 19.998 % Acute Tox. 3 (Inhalation - mist)

CAS Number: 175013-18-0 Acute Tox. 4 (oral)

NDEX-Number: 613-272-00-6 Skin Irrit. 2

Repr. 2 (unborn child)

Substance with EU occupational STC

STOT SE 3 (irr. to respiratory syst.)

STOT RE (Liver, Nasal cavity, Gastrointestinal

tract) 2

Aquatic Acute 1
Aquatic Chronic 1
M-factor acute: 100
M-factor chronic: 100

H315, H331, H302, H335, H361d, H373, H400,

H410

Acute toxicity estimate:

oral: 450 mg/kg Inhalation: 0.58 mg/l

Aromatic hydrocarbons, C10-13, reaction products with branched nonene, sulfonated, sodium salts

Content (W/W): < 1.8 % CAS Number: 1258274-08-6

Eye Dam./Irrit. 1 Aquatic Chronic 3 H318, H315, H412

Skin Corr./Irrit. 2

Silicon dioxide

Content (W/W): <= 20.6 % CAS Number: 7631-86-9 EC-Number: 231-545-4

REACH registration number: 01-

2119379499-16

exposure limit

Particle characteristics of nanoform:

Particle size distribution: 1 - 100 nm (D10) 1 - 100 nm (D50)

1 - 100 nm (D90)

Particle Shape: spheres
Crystallinity: amorphous

Specific Surface Area: 8.8 - 2,200 m2/cm3 (VSSA) 4 - 1,000 m²/g (MSSA)

Surface treatment/coating: no

Ammonium sulphate

Content (W/W): < 19.9 % CAS Number: 7783-20-2 EC-Number: 231-984-1

REACH registration number: 01-

2119455044-46

Kaolin

Page: 5/18

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 16.01.2025 Version: 3.0

Date / Previous version: 14.04.2023 Previous version: 2.0

Product: Insignia

(ID no. 30470159/SDS\_CPA\_IE/EN)

Date of print 16.01.2025

Content (W/W): <= 6.4 % CAS Number: 1332-58-7 EC-Number: 310-194-1

#### Sodium sulphate

Content (W/W): <= 2.24 %
CAS Number: 7757-82-6
EC-Number: 231-820-9
REACH registration number: 01-

2119519226-43

For the classifications not written out in full in this section, including the hazard classes and the hazard statements, the full text is listed in section 16.

## **SECTION 4: First-Aid Measures**

## 4.1. Description of first aid measures

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

#### If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

#### On skin contact:

Wash thoroughly with soap and water

#### On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

#### On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

## 4.3. Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

## **SECTION 5: Fire-Fighting Measures**

## 5.1. Extinguishing media

Suitable extinguishing media:

Date / Revised: 16.01.2025 Version: 3.0

Date / Previous version: 14.04.2023 Previous version: 2.0

Product: Insignia

(ID no. 30470159/SDS CPA IE/EN)

Date of print 16.01.2025

dry powder, foam, water spray

Unsuitable extinguishing media for safety reasons: carbon dioxide

## 5.2. Special hazards arising from the substance or mixture

Endangering substances: carbon monoxide, hydrogen chloride, Carbon dioxide, nitrogen oxides, sulfur oxides, organochloric compounds, silica compounds

Advice: The substances/groups of substances mentioned can be released in case of fire.

## 5.3. Advice for fire-fighters

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

#### Further information:

In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

## **SECTION 6: Accidental Release Measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

Use personal protective clothing. Avoid contact with the skin, eyes and clothing. Avoid dust formation.

## 6.2. Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Do not allow contamination of public drains or surface or ground waters. Inform local water plc if spillage enters drains and the Environmental Protection Agency if it enters surface or ground waters. Keep people and animals away.

#### 6.3. Methods and material for containment and cleaning up

For small amounts: Contain with dust binding material and dispose of.

For large amounts: Sweep/shovel up.

Wear suitable protective equipment. Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Avoid raising dust.

## 6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

Date / Revised: 16.01.2025 Version: 3.0

Date / Previous version: 14.04.2023 Previous version: 2.0

Product: Insignia

(ID no. 30470159/SDS CPA IE/EN)

Date of print 16.01.2025

## **SECTION 7: Handling and Storage**

## 7.1. Precautions for safe handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

Dust can form an explosive mixture with air. Avoid dust formation. Prevent electrostatic charge - sources of ignition should be kept well clear - fire extinguishers should be kept handy.

## 7.2. Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect against moisture. Protect from direct sunlight.

## 7.3. Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

#### **SECTION 8: Exposure Controls/Personal Protection**

#### 8.1. Control parameters

Components with occupational exposure limits

1332-58-7: Kaolin

TWA value 2 mg/m3 (OEL (IE)), Respirable dust

175013-18-0: pyraclostrobin (ISO)

TWA value 0.13 mg/m3 (BASF recomm. occupational exposure limit)

7631-86-9: Silicon dioxide

TWA value 2.4 mg/m3 (OEL (IE)), Respirable dust TWA value 6 mg/m3 (OEL (IE)), Total inhalable dust

Refer to the current schedule of occupational exposure standards published by the Irish HSA. For normal use and handling refer to the product label/leaflet. In all other cases the following apply.

## 8.2. Exposure controls

Personal protective equipment

Respiratory protection:

Suitable respiratory protection for lower concentrations or short-term effect: Particle filter with high efficiency for solid and liquid particles (e.g. EN 143 or 149, Type P3 or FFP3).

#### Hand protection:

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Eye protection:

Page: 8/18

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 16.01.2025 Version: 3.0

Date / Previous version: 14.04.2023 Previous version: 2.0

Product: Insignia

(ID no. 30470159/SDS CPA IE/EN)

Date of print 16.01.2025

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

#### Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

#### General safety and hygiene measures

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

## **SECTION 9: Physical and Chemical Properties**

## 9.1. Information on basic physical and chemical properties

State of matter: solid
Form: solid
Colour: grey-brown
Odour: faint odour, smoky

Odour threshold:

Melting temperature:

Not determined since harmful by

inhalation. approx. 64 °C

The data given are those of the

active ingradient

active ingredient.

Boiling point:

The product has not been tested.

Flammability: not highly flammable

(Directive 92/69/EEC, A.10)

Lower explosion limit:

As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

Upper explosion limit:

As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

Flash point:

not applicable, the product is a solid

Auto-ignition temperature:

not applicable, the product is a solid

Thermal decomposition: No decomposition if stored and handled as prescribed/indicated.

pH value:

approx. 5 - 7

(CIPAC standard water D, 1 %(m),

20 °C)

Page: 9/18

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 16.01.2025 Version: 3.0

Date / Previous version: 14.04.2023 Previous version: 2.0

Product: Insignia

(ID no. 30470159/SDS CPA IE/EN)

Date of print 16.01.2025

Viscosity, kinematic:

not applicable, the product is a solid

Viscosity, dynamic:

not applicable, the product is a solid

Thixotropy: not applicable Solubility in water: dispersible

Partitioning coefficient n-octanol/water (log Kow):

not applicable for mixtures

Vapour pressure:

not applicable

Density: approx. 1.68 g/cm3 (OECD Guideline 109)

(20 °C)

Relative vapour density (air):

not applicable

#### 9.2. Other information

## Information with regard to physical hazard classes

**Explosives** 

Explosion hazard: Based on the chemical structure (Directive 92/69/EEC, A.14)

there is no indication of explosive

properties.

Oxidizing properties

Fire promoting properties: Based on its structural properties (Directive 92/69/EEC, A.17)

the product is not classified as

oxidizing.

Self-heating substances and mixtures

Self heating ability: It is not a substance capable of

spontaneous heating.

## Other safety characteristics

Evaporation rate:

not applicable

## **SECTION 10: Stability and Reactivity**

#### 10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

#### 10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

#### 10.3. Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

Date / Revised: 16.01.2025 Version: 3.0

Date / Previous version: 14.04.2023 Previous version: 2.0

Product: Insignia

(ID no. 30470159/SDS CPA IE/EN)

Date of print 16.01.2025

#### 10.4. Conditions to avoid

See SDS section 7 - Handling and storage.

#### 10.5. Incompatible materials

Substances to avoid:

strong acids, strong bases, strong oxidizing agents

## 10.6. Hazardous decomposition products

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

## **SECTION 11: Toxicological Information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity

Assessment of acute toxicity:

Virtually nontoxic after a single ingestion. Virtually nontoxic after a single skin contact. Of moderate toxicity after short-term inhalation.

Experimental/calculated data:

LD50 rat (oral): > 2,000 mg/kg (OECD Guideline 401)

LC50 rat (by inhalation): approx. 4.5 mg/l 4 h (OECD Guideline 403)

LD50 rat (dermal): > 2,000 mg/kg (OECD Guideline 402)

No mortality was observed.

#### Irritation

Assessment of irritating effects:

Not irritating to the skin. Not irritating to the eyes.

Experimental/calculated data:

Skin corrosion/irritation

rabbit: non-irritant (OECD Guideline 404)

Skin corrosion/irritation

rabbit: non-irritant

Serious eye damage/irritation

rabbit: non-irritant (OECD Guideline 405)

#### Respiratory/Skin sensitization

Assessment of sensitization:

There is no evidence of a skin-sensitizing potential.

Experimental/calculated data:

Buehler test guinea pig: Non-sensitizing. (OECD Guideline 406)

Date / Revised: 16.01.2025 Version: 3.0

Date / Previous version: 14.04.2023 Previous version: 2.0

Product: Insignia

(ID no. 30470159/SDS CPA IE/EN)

Date of print 16.01.2025

#### Germ cell mutagenicity

Assessment of mutagenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

## Carcinogenicity

Assessment of carcinogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

#### Reproductive toxicity

Assessment of reproduction toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

## **Developmental toxicity**

Assessment of teratogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

Specific target organ toxicity (single exposure)

Assessment of STOT single:

Causes temporary irritation of the respiratory tract.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3-yloxymethyl]phenyl}(N-methoxy)carbamate

Assessment of repeated dose toxicity:

Repeated exposure may affect certain organs. Target organs: Liver, gastrointestinal tract and nasal cavity

Information on: Kaolin

Assessment of repeated dose toxicity:

Repeated inhalative uptake of particles/dust reaching the alveoli may cause damage to the lungs.

Information on: Silica gel, precipitated, crystalline free

Assessment of repeated dose toxicity:

The substance may cause damage to the lung after repeated inhalation of high doses.

-----

Date / Revised: 16.01.2025 Version: 3.0

Date / Previous version: 14.04.2023 Previous version: 2.0

Product: Insignia

(ID no. 30470159/SDS CPA IE/EN)

Date of print 16.01.2025

#### Aspiration hazard

No aspiration hazard expected.

The product has not been tested. The statement has been derived from the properties of the individual components.

#### Interactive effects

No data available.

#### 11.2. Information on other hazards

#### Endocrine disrupting properties

Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

## Other information

Other relevant toxicity information

Misuse can be harmful to health.

## **SECTION 12: Ecological Information**

## 12.1. Toxicity

Assessment of aquatic toxicity:

Very toxic to aquatic life with long lasting effects.

Toxicity to fish:

LC50 (96 h) 0.033 mg/l, Oncorhynchus mykiss (OECD Guideline 203, static)

Aquatic invertebrates:

EC50 (48 h) 0.0382 mg/l, Daphnia magna (OECD Guideline 202, part 1, static)

Aquatic plants:

EC50 (72 h) 17.39 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201)

EC10 (72 h) 0.72 mg/l (growth rate), Pseudokirchneriella subcapitata (OECD Guideline 201)

EC50 (72 h) 1.4 mg/l (biomass), Pseudokirchneriella subcapitata (OECD Guideline 201)

Information on:pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3-yloxymethyl]phenyl}(N-methoxy)carbamate Chronic toxicity to aquatic invertebrates:

Date / Revised: 16.01.2025 Version: 3.0 Previous version: 2.0

Date / Previous version: 14.04.2023

Product: Insignia

(ID no. 30470159/SDS CPA IE/EN)

Date of print 16.01.2025

No observed effect concentration (21 d) 0.004 mg/l, Daphnia magna (OECD Guideline 202, part 2,

The details of the toxic effect relate to the nominal concentration.

No observed effect concentration (31 d) 0.000365 mg/l, Mysidopsis bahia

## 12.2. Persistence and degradability

Assessment biodegradation and elimination (H2O):

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on:pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3yloxymethyl]phenyl}(N-methoxy)carbamate Assessment biodegradation and elimination (H2O): Not readily biodegradable (by OECD criteria).

## 12.3. Bioaccumulative potential

Assessment bioaccumulation potential:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on:pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3vloxymethyl]phenyl}(N-methoxy)carbamate Bioaccumulation potential:

Bioconcentration factor(BCF): 379 - 507, Oncorhynchus mykiss (OECD Guideline 305) Accumulation in organisms is not to be expected.

#### 12.4. Mobility in soil

Assessment transport between environmental compartments:

Adsorption in soil: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on:pyraclostrobin (ISO); methyl N-{2-[1-(4-chlorophenyl)-1H-pyrazol-3yloxymethyl]phenyl}(N-methoxy)carbamate

Assessment transport between environmental compartments:

Adsorption in soil: Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Date / Revised: 16.01.2025 Version: 3.0

Date / Previous version: 14.04.2023 Previous version: 2.0

Product: Insignia

(ID no. 30470159/SDS CPA IE/EN)

Date of print 16.01.2025

#### 12.5. Results of PBT and vPvB assessment

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

## 12.6. Endocrine disrupting properties

Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

#### 12.7. Other adverse effects

The product does not contain substances that are listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

#### Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

## **SECTION 13: Disposal Considerations**

## 13.1. Waste treatment methods

Must be sent to a suitable incineration plant, observing local regulations.

Contaminated packaging:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

## **SECTION 14: Transport Information**

#### **Land transport**

**ADR** 

UN number or ID number: UN3077

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(PYRACLOSTROBIN)

Transport hazard class(es): 9, EHSM

Packing group: III Environmental hazards: yes

Special precautions for

user: None known

Date / Revised: 16.01.2025 Version: 3.0

Date / Previous version: 14.04.2023 Previous version: 2.0

Product: Insignia

(ID no. 30470159/SDS CPA IE/EN)

Date of print 16.01.2025

UN number or ID number: UN3077

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(PYRACLOSTROBIN)

Transport hazard class(es): 9, EHSM Packing group: Ш

Environmental hazards: yes

Special precautions for None known

user:

## **Inland waterway transport**

ADN

UN number or ID number: UN3077

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. UN proper shipping name:

(PYRACLOSTROBIN)

Transport hazard class(es): 9, EHSM Ш

Packing group: Environmental hazards: yes

Special precautions for None known

user:

#### Transport in inland waterway vessel

Not evaluated

#### Sea transport

**IMDG** 

UN number or ID number: UN 3077

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(PYRACLOSTROBIN)

Transport hazard class(es): 9, EHSM

Packing group: Ш Environmental hazards:

Marine pollutant: YES

Special precautions for

user:

EmS: F-A; S-F

## Air transport

IATA/ICAO

UN number or ID number: **UN 3077** 

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(PYRACLOSTROBIN)

Transport hazard class(es): 9, EHSM

Packing group: Ш Environmental hazards: yes

Date / Revised: 16.01.2025 Version: 3.0

Date / Previous version: 14.04.2023 Previous version: 2.0

Product: Insignia

(ID no. 30470159/SDS CPA IE/EN)

Date of print 16.01.2025

Special precautions for

None known

user:

#### 14.1. UN number or ID number

See corresponding entries for "UN number or ID number" for the respective regulations in the tables above.

## 14.2. UN proper shipping name

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

## 14.3. Transport hazard class(es)

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

## 14.4. Packing group

See corresponding entries for "Packing group" for the respective regulations in the tables above.

#### 14.5. Environmental hazards

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

#### 14.6. Special precautions for user

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

#### 14.7. Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

#### **Further information**

Product may be shipped as non-hazardous in suitable packages containing a net quantity of 5 kg or less under the provisions of various regulatory agencies: ADR, RID, ADN: Special Provision 375; IMDG: 2:10.2.7; IATA: A197; TDS: Special Provision 99(2); 49CFR: §171.4 (c) (2) and also the Special Provision 375 in Appendix B which is regulated in China "Regulations Concerning Road Transportation of Dangerous Goods Part 3: Index of dangerous goods name and transportation requirements" (JT/T 617.3)

## **SECTION 15: Regulatory Information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Prohibitions, Restrictions and Authorizations

Annex XVII of Regulation (EC) No 1907/2006: Number on List: 75

Directive 2012/18/EU - Control of Major Accident Hazards involving dangerous substances (EU): List entry in regulation: E1

Page: 17/18

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 16.01.2025 Version: 3.0

Date / Previous version: 14.04.2023 Previous version: 2.0

Product: Insignia

(ID no. 30470159/SDS CPA IE/EN)

Date of print 16.01.2025

This product may be subject to the Seveso III Directive and amendments if specific threshold tonnages are exceeded.

For further medical advice Doctors should contact the National Poisons Information Centre at Beaumont Hospital, Dublin.

To avoid risks to man and the environment, comply with the instructions for use.

## 15.2. Chemical Safety Assessment

Advice on product handling can be found in sections 7 and 8 of this safety data sheet.

#### **SECTION 16: Other Information**

For proper and safe use of this product, please refer to the approval conditions laid down on the product label.

Full text of the classifications, including the hazard classes and the hazard statements, if mentioned

in section 2 or 3:

Acute Tox. Acute toxicity

STOT SE Specific target organ toxicity — single exposure

Repr. Reproductive toxicity

STOT RE Specific target organ toxicity — repeated exposure Aquatic Acute Hazardous to the aquatic environment - acute Aquatic Chronic Hazardous to the aquatic environment - chronic

Skin Irrit. Skin irritation

Skin Corr./Irrit. Skin corrosion/irritation

Eye Dam./Irrit. Serious eye damage/eye irritation

H332 Harmful if inhaled.

H335 May cause respiratory irritation.

H373 May cause damage to organs (Liver, Nasal cavity, Gastrointestinal tract)

through prolonged or repeated exposure.

H361d Suspected of damaging the unborn child.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

EUH401 To avoid risks to human health and the environment, comply with the

instructions for use.

H315 Causes skin irritation.
H331 Toxic if inhaled.
H302 Harmful if swallowed.
H318 Causes serious eye damage.

H412 Harmful to aquatic life with long lasting effects.

#### Abbreviations

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road. ADN = The European Agreement concerning the International Carriage of Dangerous Goods by Inland waterways. ATE = Acute Toxicity Estimates. CAO = Cargo Aircraft Only. CAS = Chemical Abstract Service. CLP = Classification, Labelling and Packaging of substances and mixtures. DIN = German national organization for standardization. DNEL = Derived No Effect Level. EC50 = Effective concentration median for 50% of the population. EC = European Community. EN = European Standards. IARC = International Agency for Research on Cancer. IATA = International Air Transport Association.

Date / Revised: 16.01.2025 Version: 3.0

Date / Previous version: 14.04.2023 Previous version: 2.0

Product: Insignia

(ID no. 30470159/SDS CPA IE/EN)

Date of print 16.01.2025

IBC-Code = Intermediate Bulk Container code. IMDG = International Maritime Dangerous Goods Code. ISO = International Organization for Standardization. STEL = Short-Term Exposure Limit. LC50 = Lethal concentration median for 50% of the population. LD50 = Lethal dose median for 50% of the population. TLV = Threshold Limit Value. MARPOL = The International Convention for the Prevention of Pollution from Ships. NEN = Dutch Norm. NOEC = No Observed Effect Concentration. OEL = Occupational Exposure Limit. OECD = Organization for Economic Cooperation and Development. PBT = Persistent, Bioaccumulative and Toxic. PNEC = Predicted No Effect Level. PPM = Parts per million. RID = The European Agreement concerning the International Carriage of Dangerous Goods by Rail. TWA = Time Weight Average. UN-number = UN number at transport. vPvB = very Persistent and very Bioaccumulative.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.