

Safety data sheet

Page: 1/21

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 01.04.2026

Version: 3.0

Date / Previous version: 23.09.2025

Previous version: 2.0

Product: **Osiris® Pro**

(ID no. 30835412/SDS_CPA_IE/EN)

Date of print 14.04.2026

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Osiris® Pro

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: crop protection product, fungicide

1.3. Details of the supplier of the safety data sheet

Company:

BASF Ireland DAC

Asgard House

19-20 City Quay

Dublin, D02 K744

IRELAND

Telephone: +353 21 451-7100

E-mail address: product-safety-uk-and-ireland@basf.com

1.4. Emergency telephone number

For products classified as hazardous in accordance with CLP:

National Poisons Information Centre, Beaumont Hospital, Dublin 9

Emergency medical information: 8am-10pm (seven days)

Tel.: 01 8092566

International emergency number:

Telephone: +49 180 2273-112

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 01.04.2026

Version: 3.0

Date / Previous version: 23.09.2025

Previous version: 2.0

Product: **Osiris® Pro**

(ID no. 30835412/SDS_CPA_IE/EN)

Date of print 14.04.2026

SECTION 2: Hazards Identification

2.1. Classification of the substance or mixture

For the classification of the mixture the following methods have been applied: extrapolation on the concentration levels of the hazardous substances, on basis of test results and after evaluation of experts. The methodologies used are mentioned at the respective test results.

According to Regulation (EC) No 1272/2008 [CLP]

Eye Dam./Irrit. 1	H318 Causes serious eye damage.
Skin Corr./Irrit. 2	H315 Causes skin irritation.
Skin Sens. 1	H317 May cause an allergic skin reaction.
STOT SE 3	H335 May cause respiratory irritation.
Aquatic Acute 2	H401 Toxic to aquatic life.
Aquatic Chronic 2	H411 Toxic to aquatic life with long lasting effects.

For the classifications not written out in full in this section the full text can be found in section 16.

2.2. Label elements

According to Regulation (EC) No 1272/2008 [CLP]

Globally Harmonized System, EU (GHS)

Pictogram:



Signal Word:

Danger

Hazard Statement:

H318	Causes serious eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H335	May cause respiratory irritation.
H401	Toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
EUH401	To avoid risks to human health and the environment, comply with the instructions for use.

Precautionary Statement:

P101	If medical advice is needed, have product container or label at hand.
P102	Keep out of reach of children.
P103	Read carefully and follow all instructions.

Precautionary Statements (Prevention):

P280	Wear protective gloves/protective clothing/eye protection/face protection.
P261	Avoid breathing mist/vapours/spray.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing should not be allowed out of the workplace.
P264	Wash contaminated body parts thoroughly after handling.

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 01.04.2026

Version: 3.0

Date / Previous version: 23.09.2025

Previous version: 2.0

Product: **Osiris® Pro**

(ID no. 30835412/SDS_CPA_IE/EN)

Date of print 14.04.2026

Precautionary Statements (Response):

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P310 Immediately call a POISON CENTER or physician.
 P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
 P362 + P364 Take off contaminated clothing and wash it before reuse.
 P391 Collect spillage.

Precautionary Statements (Storage):

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.
 P405 Store locked up.
 P410 Protect from sunlight.

Precautionary Statements (Disposal):

P501 Dispose of contents/container to a licensed hazardous waste disposal contractor or collection site except for triple rinsed empty containers which can be disposed of as non-hazardous waste.

Hazard determining component(s) for labelling: (2RS)-2-[4-(4-chlorophenoxy)-2-(trifluoromethyl)phenyl]-1-(1H-1,2,4-triazol-1-yl)propan-2-ol; mefentrifluconazole, N,N-Dimethyloctanamide, 2-ethylhexyl (2S)-2-hydroxypropanoate, 2-Propenoic acid, 2-methyl-, polymer with tert-Bu acrylate, Me methacrylate, polyethylene glycol methacrylate C16-18-alkyl ethers and vinylpyrrolidone, tert-Bu 2-ethylhexaneperoxoate-initiated, compds. with 2-amino-2-methyl-1-propanol

2.3. Other hazards

According to Regulation (EC) No 1272/2008 [CLP]

Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. The product does not fulfill the criteria for PBT (Persistent/bioaccumulative/toxic) and vPvB (very persistent/very bioaccumulative).

SECTION 3: Composition/Information on Ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Chemical nature

crop protection product, fungicide

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 01.04.2026

Version: 3.0

Date / Previous version: 23.09.2025

Previous version: 2.0

Product: **Osiris® Pro**

(ID no. 30835412/SDS_CPA_IE/EN)

Date of print 14.04.2026

Regulatory relevant ingredients

prothioconazole (ISO); 2-[2-(1-chlorocyclopropyl)-3-(2-chlorophenyl)-2-hydroxypropyl]-2,4-dihydro-3H-1,2,4-triazole-3-thione

Content (W/W): 9.85 %
CAS Number: 178928-70-6Aquatic Acute 1
Aquatic Chronic 1
M-factor acute: 10
M-factor chronic: 1
H400, H410

(2RS)-2-[4-(4-chlorophenoxy)-2-(trifluoromethyl)phenyl]-1-(1H-1,2,4-triazol-1-yl)propan-2-ol; mefentrifluconazole

Content (W/W): 5 %
CAS Number: 1417782-03-6Substance with EU occupational
exposure limitSkin Sens. 1
Aquatic Acute 1
Aquatic Chronic 1
M-factor acute: 1
M-factor chronic: 1
H317, H400, H410

2-ethylhexyl (2S)-2-hydroxypropanoate

Content (W/W): < 30 %
CAS Number: 186817-80-1
REACH registration number: 01-
2119516238-41Skin Irrit. 2
Eye Irrit. 2
Skin Sens. 1B
H319, H315, H317

N,N-Dimethyloctanamide

Content (W/W): < 20 %
CAS Number: 1118-92-9
EC-Number: 214-272-5
REACH registration number: 01-
2119974106-36Skin Irrit. 2
Eye Dam. 1
STOT SE 3 (irr. to respiratory syst.)
H318, H315, H335

N,N-Dimethyldecan-1-amide

Content (W/W): < 20 %
CAS Number: 14433-76-2
EC-Number: 238-405-1
REACH registration number: 01-
2119485027-36Skin Irrit. 2
Eye Irrit. 2
STOT SE 3 (irr. to respiratory syst.)
Aquatic Chronic 3
H319, H315, H335, H412

Poly(oxy-1,2-ethanediyl), .alpha.-[tris(1-phenylethyl)phenyl]-.omega.-hydroxy-

Content (W/W): < 10 %
CAS Number: 99734-09-5Aquatic Chronic 3
H412

Methyl-Oxirane, Blockpolymer with Oxirane, Monoisotridecyl ether

Content (W/W): < 10 %
CAS Number: 196823-11-7Eye Dam./Irrit. 2
H319

2-Propenoic acid, 2-methyl-, polymer with tert-Bu acrylate, Me methacrylate, polyethylene glycol methacrylate C16-18-alkyl ethers and vinylpyrrolidone, tert-Bu 2-ethylhexaneperoxoate-initiated, compds. with 2-amino-2-methyl-1-propanol

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 01.04.2026

Version: 3.0

Date / Previous version: 23.09.2025

Previous version: 2.0

Product: **Osiris® Pro**

(ID no. 30835412/SDS_CPA_IE/EN)

Date of print 14.04.2026

Content (W/W): < 5 %
CAS Number: 1515872-09-9

Eye Dam./Irrit. 1
Skin Sens. 1
H318, H317

Propane-1,2-diol

Content (W/W): < 10 %
CAS Number: 57-55-6
EC-Number: 200-338-0
REACH registration number: 01-
2119456809-23

For the classifications not written out in full in this section, including the hazard classes and the hazard statements, the full text is listed in section 16.

SECTION 4: First-Aid Measures

4.1. Description of first aid measures

First aid personnel should pay attention to their own safety. If the patient is likely to become unconscious, place and transport in stable sideways position (recovery position). Immediately remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention. Immediately administer a corticosteroid from a controlled/metered dose inhaler.

On skin contact:

Immediately wash thoroughly with plenty of water, apply sterile dressings, consult a skin specialist.

On contact with eyes:

Immediately wash affected eyes for at least 15 minutes under running water with eyelids held open, consult an eye specialist.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

Hazards: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11. (Further) symptoms and / or effects are not known so far

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 01.04.2026

Version: 3.0

Date / Previous version: 23.09.2025

Previous version: 2.0

Product: **Osiris® Pro**

(ID no. 30835412/SDS_CPA_IE/EN)

Date of print 14.04.2026

4.3. Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

SECTION 5: Fire-Fighting Measures

5.1. Extinguishing media

Suitable extinguishing media:

water spray, dry powder, foam, carbon dioxide

5.2. Special hazards arising from the substance or mixture

Endangering substances: carbon monoxide, Carbon dioxide, hydrogen chloride, hydrogen fluoride, nitrogen oxides, sulfur oxides, halogenated compounds

Advice: The substances/groups of substances mentioned can be released in case of fire.

5.3. Advice for fire-fighters

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

Keep containers cool by spraying with water if exposed to fire. In case of fire and/or explosion do not breathe fumes. Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations.

SECTION 6: Accidental Release Measures

6.1. Personal precautions, protective equipment and emergency procedures

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

6.2. Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Do not allow contamination of public drains or surface or ground waters. Inform local water plc if spillage enters drains and the Environmental Protection Agency if it enters surface or ground waters. Keep people and animals away.

6.3. Methods and material for containment and cleaning up

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage. Pump off product.

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 01.04.2026

Version: 3.0

Date / Previous version: 23.09.2025

Previous version: 2.0

Product: **Osiris® Pro**

(ID no. 30835412/SDS_CPA_IE/EN)

Date of print 14.04.2026

Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Wear suitable protective equipment.

6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

SECTION 7: Handling and Storage

7.1. Precautions for safe handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

No special precautions necessary. The substance/product is non-combustible. Product is not explosive.

7.2. Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Protect from temperatures below: 0 °C

Changes in the properties of the product may occur if substance/product is stored below indicated temperature for extended periods of time.

Protect from temperatures above: 40 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

7.3. Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

SECTION 8: Exposure Controls/Personal Protection

8.1. Control parameters

Components with occupational exposure limits

57-55-6: Propane-1,2-diol

TWA value 470 mg/m³ ; 150 ppm (OEL (IE)), Total vapour and particulates

TWA value 10 mg/m³ (OEL (IE)), Particulate

1417782-03-6: (2RS)-2-[4-(4-chlorophenoxy)-2-(trifluoromethyl)phenyl]-1-(1H-1,2,4-triazol-1-yl)propan-2-ol

TWA value 0.68 mg/m³ (BASF recomm. occupational exposure limit)

8.2. Exposure controls

Personal protective equipment

Respiratory protection:

Suitable respiratory protection for lower concentrations or short-term effect: Combination filter for gases/vapours of organic, inorganic, acid inorganic, alkaline compounds and toxic particles (e. g. EN 14387 Type ABEK-P3)

Hand protection:

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

Eye protection:

Tightly fitting safety goggles (splash goggles) (e.g. EN 166)

Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

General safety and hygiene measures

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

State of matter:	liquid
Form:	liquid
Colour:	yellow clear
Odour:	characteristic
Odour threshold:	Not determined due to potential health hazard by inhalation.
Melting point:	The product has not been tested.
Boiling point:	The product has not been tested.
Flammability:	not flammable
Lower explosion limit:	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 01.04.2026

Version: 3.0

Date / Previous version: 23.09.2025

Previous version: 2.0

Product: **Osiris® Pro**

(ID no. 30835412/SDS_CPA_IE/EN)

Date of print 14.04.2026

Upper explosion limit:

As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.

Flash point:

Non-flammable.

Auto-ignition temperature: 242 °C

Thermal decomposition: No decomposition if stored and handled as prescribed/indicated.

pH value: approx. 5 - 7
(CIPAC standard water D, 1 %(m),
17.8 °C)

Viscosity, kinematic: approx. 61 mm²/s (20 °C) (calculated (from dynamic viscosity))

Viscosity, dynamic: approx. 61 mPa.s (20 °C, 100 1/s)

Thixotropy: not thixotropic

Solubility in water: dispersible

Partitioning coefficient n-octanol/water (log Kow):
The statements are based on the properties of the individual components.

Information on: prothioconazole (ISO); 2-[2-(1-chlorocyclopropyl)-3-(2-chlorophenyl)-2-hydroxypropyl]-2,4-dihydro-3H-1,2,4-triazole-3-thione

*Partitioning coefficient n-octanol/water (log Kow): 3.82
(20 °C; pH value: 7)*

Vapour pressure:

The product has not been tested.

Density: approx. 1.00 g/cm³
(20 °C)

Relative vapour density (air):
not determined

Particle characteristics

Particle size distribution: The substance / product is marketed or used in a non solid or granular form. -

9.2. Other information

Information with regard to physical hazard classes

Explosives

Explosion hazard: Based on the chemical structure there is no indication of explosive properties.

Oxidizing properties

Fire promoting properties: Based on its structural properties the product is not classified as oxidizing.

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 01.04.2026

Version: 3.0

Date / Previous version: 23.09.2025

Previous version: 2.0

Product: **Osiris® Pro**

(ID no. 30835412/SDS_CPA_IE/EN)

Date of print 14.04.2026

SECTION 10: Stability and Reactivity

10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

10.3. Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

10.4. Conditions to avoid

See SDS section 7 - Handling and storage.

10.5. Incompatible materials

Substances to avoid:

strong acids, strong bases, strong oxidizing agents

10.6. Hazardous decomposition products

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

SECTION 11: Toxicological Information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Assessment of acute toxicity:

Virtually nontoxic after a single ingestion. Virtually nontoxic by inhalation. Virtually nontoxic after a single skin contact. The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: prothioconazole (ISO); 2-[2-(1-chlorocyclopropyl)-3-(2-chlorophenyl)-2-hydroxypropyl]-2,4-dihydro-3H-1,2,4-triazole-3-thione

Experimental/calculated data:

LD50 rat (oral): > 6,200 mg/kg

Information on: (2RS)-2-[4-(4-chlorophenoxy)-2-(trifluoromethyl)phenyl]-1-(1H-1,2,4-triazol-1-yl)propan-2-ol; mefentrifluconazole

Experimental/calculated data:

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 01.04.2026

Version: 3.0

Date / Previous version: 23.09.2025

Previous version: 2.0

Product: **Osiris® Pro**

(ID no. 30835412/SDS_CPA_IE/EN)

Date of print 14.04.2026

LD50 rat (oral): > 2,000 mg/kg (OECD Guideline 423)

No mortality was observed.

Information on: prothioconazole (ISO); 2-[2-(1-chlorocyclopropyl)-3-(2-chlorophenyl)-2-hydroxypropyl]-2,4-dihydro-3H-1,2,4-triazole-3-thione

Experimental/calculated data:

LC50 rat (by inhalation): > 4.99 mg/l

No mortality was observed. An aerosol was tested.

Information on: (2RS)-2-[4-(4-chlorophenoxy)-2-(trifluoromethyl)phenyl]-1-(1H-1,2,4-triazol-1-yl)propan-2-ol; mefentrifluconazole

Experimental/calculated data:

LC50 rat (by inhalation): > 5.314 mg/l (OECD Guideline 403)

No mortality was observed. Tested as dust aerosol.

Information on: prothioconazole (ISO); 2-[2-(1-chlorocyclopropyl)-3-(2-chlorophenyl)-2-hydroxypropyl]-2,4-dihydro-3H-1,2,4-triazole-3-thione

Experimental/calculated data:

LD50 rat (dermal): > 2,000 mg/kg

No mortality was observed.

Information on: (2RS)-2-[4-(4-chlorophenoxy)-2-(trifluoromethyl)phenyl]-1-(1H-1,2,4-triazol-1-yl)propan-2-ol; mefentrifluconazole

Experimental/calculated data:

LD50 rat (dermal): > 5,000 mg/kg (OECD Guideline 402)

No mortality was observed.

Irritation

Assessment of irritating effects:

May cause severe damage to the eyes. Skin contact causes irritation. The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: (2RS)-2-[4-(4-chlorophenoxy)-2-(trifluoromethyl)phenyl]-1-(1H-1,2,4-triazol-1-yl)propan-2-ol; mefentrifluconazole

Experimental/calculated data:

Skin corrosion/irritation

rabbit: non-irritant (OECD Guideline 404)

Information on: 2-ethylhexyl (2S)-2-hydroxypropanoate

Experimental/calculated data:

Skin corrosion/irritation

rabbit: Irritant. (OECD Guideline 404)

Information on: prothioconazole (ISO); 2-[2-(1-chlorocyclopropyl)-3-(2-chlorophenyl)-2-hydroxypropyl]-2,4-dihydro-3H-1,2,4-triazole-3-thione

Experimental/calculated data:

Serious eye damage/irritation

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 01.04.2026

Version: 3.0

Date / Previous version: 23.09.2025

Previous version: 2.0

Product: **Osiris® Pro**

(ID no. 30835412/SDS_CPA_IE/EN)

Date of print 14.04.2026

rabbit: non-irritant (OECD Guideline 405)

Information on: (2RS)-2-[4-(4-chlorophenoxy)-2-(trifluoromethyl)phenyl]-1-(1H-1,2,4-triazol-1-yl)propan-2-ol; mefentrifluconazole

Experimental/calculated data:

Serious eye damage/irritation

rabbit: non-irritant (OECD Guideline 405)

Information on: N,N-Dimethyloctanamide

Experimental/calculated data:

Serious eye damage/irritation

rabbit: Risk of serious damage to eyes. (similar to OECD guideline 405)

Analogous: Assessment derived from products with similar chemical character.

Respiratory/Skin sensitization

Assessment of sensitization:

Sensitization after skin contact possible. The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: (2RS)-2-[4-(4-chlorophenoxy)-2-(trifluoromethyl)phenyl]-1-(1H-1,2,4-triazol-1-yl)propan-2-ol; mefentrifluconazole

Experimental/calculated data:

Guinea pig maximization test guinea pig: skin sensitizing (OECD Guideline 406)

Information on: 2-ethylhexyl (2S)-2-hydroxypropanoate

Experimental/calculated data:

Mouse Local Lymph Node Assay (LLNA) mouse: skin sensitizing (OECD Guideline 429)

Information on: 2-Propenoic acid, 2-methyl-, polymer with tert-Bu acrylate, Me methacrylate, polyethylene glycol methacrylate C16-18-alkyl ethers and vinylpyrrolidone, tert-Bu 2-ethylhexaneperoxoate-initiated, compds. with 2-amino-2-methyl-1-propanol

Experimental/calculated data:

In vitro assay: skin sensitizing

Germ cell mutagenicity

Assessment of mutagenicity:

Mutagenicity tests revealed no genotoxic potential. The product has not been tested. The statement has been derived from the properties of the individual components.

Carcinogenicity

Assessment of carcinogenicity:

The results of various animal studies gave no indication of a carcinogenic effect. The product has not been tested. The statement has been derived from the properties of the individual components.

Reproductive toxicity

Assessment of reproduction toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 01.04.2026

Version: 3.0

Date / Previous version: 23.09.2025

Previous version: 2.0

Product: **Osiris® Pro**

(ID no. 30835412/SDS_CPA_IE/EN)

Date of print 14.04.2026

Developmental toxicity

Assessment of teratogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: N,N-Dimethyldecan-1-amide

Assessment of teratogenicity:

The substance did not cause malformations in animal studies; however, toxicity to development was observed at high doses that were toxic to the parental animals. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Information on: N,N-Dimethyloctanamide

Assessment of teratogenicity:

The substance did not cause malformations in animal studies; however, toxicity to development was observed at high doses that were toxic to the parental animals. The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Specific target organ toxicity (single exposure)

Assessment of STOT single:

Causes temporary irritation of the respiratory tract.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: N,N-Dimethyldecan-1-amide

Assessment of repeated dose toxicity:

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. After repeated exposure the prominent effect is local irritation.

Information on: N,N-Dimethyloctanamide

Assessment of repeated dose toxicity:

The product has not been tested. The statement has been derived from substances/products of a similar structure or composition. After repeated exposure the prominent effect is local irritation.

Information on: 2-ethylhexyl (2S)-2-hydroxypropanoate

Assessment of repeated dose toxicity:

After repeated exposure the prominent effect is local irritation.

Information on: (2RS)-2-[4-(4-chlorophenoxy)-2-(trifluoromethyl)phenyl]-1-(1H-1,2,4-triazol-1-yl)propan-2-ol; mefentrifluconazole

Assessment of repeated dose toxicity:

Repeated oral exposure to large quantities may affect certain organs. Liver Based on available data, the classification criteria are not met.

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 01.04.2026

Version: 3.0

Date / Previous version: 23.09.2025

Previous version: 2.0

Product: **Osiris® Pro**

(ID no. 30835412/SDS_CPA_IE/EN)

Date of print 14.04.2026

Aspiration hazard

not applicable

Interactive effects

No data available.

11.2. Information on other hazards

Endocrine disrupting properties

Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

Other information

Other relevant toxicity information

Misuse can be harmful to health.

SECTION 12: Ecological Information

12.1. Toxicity

Assessment of aquatic toxicity:

Toxic to aquatic life with long lasting effects.

Toxicity to fish:

LC50 (96 h) 1.77 mg/l, *Oncorhynchus mykiss* (OECD Guideline 203)

Aquatic invertebrates:

EC50 (48 h) 5.2 mg/l, *Daphnia magna* (OECD Guideline 202, part 1, static)

Aquatic plants:

EC50 (72 h) 5.17 mg/l (growth rate), *Pseudokirchneriella subcapitata* (OECD Guideline 201, static)

Information on: prothioconazole (ISO); 2-[2-(1-chlorocyclopropyl)-3-(2-chlorophenyl)-2-hydroxypropyl]-2,4-dihydro-3H-1,2,4-triazole-3-thione

Chronic toxicity to fish:

*No observed effect concentration (97 d) 0.308 mg/l, *Oncorhynchus mykiss**

Information on: (2RS)-2-[4-(4-chlorophenoxy)-2-(trifluoromethyl)phenyl]-1-(1H-1,2,4-triazol-1-yl)propan-2-ol; mefentrifluconazole

Chronic toxicity to fish:

*No observed effect concentration (36 d) 0.027 mg/l, *Danio rerio**

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 01.04.2026

Version: 3.0

Date / Previous version: 23.09.2025

Previous version: 2.0

Product: **Osiris® Pro**

(ID no. 30835412/SDS_CPA_IE/EN)

Date of print 14.04.2026

Information on: prothioconazole (ISO); 2-[2-(1-chlorocyclopropyl)-3-(2-chlorophenyl)-2-hydroxypropyl]-2,4-dihydro-3H-1,2,4-triazole-3-thione

Chronic toxicity to aquatic invertebrates:

No observed effect concentration (21 d) 0.56 mg/l, Daphnia magna

Information on: (2RS)-2-[4-(4-chlorophenoxy)-2-(trifluoromethyl)phenyl]-1-(1H-1,2,4-triazol-1-yl)propan-2-ol; mefentrifluconazole

Chronic toxicity to aquatic invertebrates:

No observed effect concentration (21 d) 0.01 mg/l, Daphnia magna

EC10 (21 d) 0.0175 mg/l, Daphnia magna

12.2. Persistence and degradability

Assessment biodegradation and elimination (H₂O):

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: 3H-1,2,4-Triazole-3-thione, 2-[2-(1-chlorocyclopropyl)-3-(2-chlorophenyl)-2-hydroxypropyl]-2,4-dihydro-

Assessment biodegradation and elimination (H₂O):

Not readily biodegradable (by OECD criteria).

Information on: (2RS)-2-[4-(4-chlorophenoxy)-2-(trifluoromethyl)phenyl]-1-(1H-1,2,4-triazol-1-yl)propan-2-ol; mefentrifluconazole

Assessment biodegradation and elimination (H₂O):

Not readily biodegradable (by OECD criteria).

12.3. Bioaccumulative potential

Assessment bioaccumulation potential:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: prothioconazole (ISO); 2-[2-(1-chlorocyclopropyl)-3-(2-chlorophenyl)-2-hydroxypropyl]-2,4-dihydro-3H-1,2,4-triazole-3-thione

Assessment bioaccumulation potential:

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

Information on: (2RS)-2-[4-(4-chlorophenoxy)-2-(trifluoromethyl)phenyl]-1-(1H-1,2,4-triazol-1-yl)propan-2-ol; mefentrifluconazole

Bioaccumulation potential:

Bioconcentration factor (BCF): 385

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 01.04.2026

Version: 3.0

Date / Previous version: 23.09.2025

Previous version: 2.0

Product: **Osiris® Pro**

(ID no. 30835412/SDS_CPA_IE/EN)

Date of print 14.04.2026

Does not accumulate in organisms.

12.4. Mobility in soil

Assessment transport between environmental compartments:

Adsorption in soil: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: (2RS)-2-[4-(4-chlorophenoxy)-2-(trifluoromethyl)phenyl]-1-(1H-1,2,4-triazol-1-yl)propan-2-ol; mefentrifluconazole

Assessment transport between environmental compartments:

Adsorption in soil: Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

12.5. Results of PBT and vPvB assessment

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

12.6. Endocrine disrupting properties

Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

12.7. Other adverse effects

The product does not contain substances that are listed in Regulation (EU) 2024/590 on substances that deplete the ozone layer.

Results of PMT and vPvM assessment

The product does not contain a substance fulfilling the PMT criteria. The product does not contain a substance fulfilling the vPvM criteria.

Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

SECTION 13: Disposal Considerations

13.1. Waste treatment methods

Must be sent to a suitable incineration plant, observing local regulations.

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 01.04.2026

Version: 3.0

Date / Previous version: 23.09.2025

Previous version: 2.0

Product: **Osiris® Pro**

(ID no. 30835412/SDS_CPA_IE/EN)

Date of print 14.04.2026

Contaminated packaging:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

SECTION 14: Transport Information

Land transport

ADR

UN number or ID number: UN3082
UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PROTHIOCONAZOLE, MEFENTRIFLUCONAZOLE)

Transport hazard class(es): 9, EHS
Packing group: III
Environmental hazards: yes
Special precautions for user: None known

RID

UN number or ID number: UN3082
UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PROTHIOCONAZOLE, MEFENTRIFLUCONAZOLE)

Transport hazard class(es): 9, EHS
Packing group: III
Environmental hazards: yes
Special precautions for user: None known

Inland waterway transport

ADN

UN number or ID number: UN3082
UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (PROTHIOCONAZOLE, MEFENTRIFLUCONAZOLE)

Transport hazard class(es): 9, EHS
Packing group: III
Environmental hazards: yes
Special precautions for user: None known

Transport in inland waterway vessel

Not evaluated

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 01.04.2026

Version: 3.0

Date / Previous version: 23.09.2025

Previous version: 2.0

Product: **Osiris® Pro**

(ID no. 30835412/SDS_CPA_IE/EN)

Date of print 14.04.2026

Sea transport

IMDG

UN number or ID number: UN 3082
UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S. (PROTHIOCONAZOLE, MEFENTRIFLUCONAZOLE)

Transport hazard class(es): 9, EHS
Packing group: III
Environmental hazards: yes
Marine pollutant: YES

Special precautions for user: EmS: F-A; S-F

Air transport

IATA/ICAO

UN number or ID number: UN 3082
UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S. (PROTHIOCONAZOLE, MEFENTRIFLUCONAZOLE)

Transport hazard class(es): 9, EHS
Packing group: III
Environmental hazards: yes
Special precautions for user: None known

14.1. UN number or ID number

See corresponding entries for "UN number or ID number" for the respective regulations in the tables above.

14.2. UN proper shipping name

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

14.3. Transport hazard class(es)

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

14.4. Packing group

See corresponding entries for "Packing group" for the respective regulations in the tables above.

14.5. Environmental hazards

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 01.04.2026

Version: 3.0

Date / Previous version: 23.09.2025

Previous version: 2.0

Product: **Osiris® Pro**

(ID no. 30835412/SDS_CPA_IE/EN)

Date of print 14.04.2026

14.6. Special precautions for user

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

14.7. Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

Further information

Product may be shipped as non-hazardous in suitable packages containing a net quantity of 5 L or less under the provisions of various regulatory agencies: ADR, RID, ADN: Special Provision 375; IMDG: 2.10.2.7; IATA: A197; TDG: Special Provision 99(2); 49CFR: §171.4 (c) (2) and also the Special Provision 375 in Appendix B which is regulated in China "Regulations Concerning Road Transportation of Dangerous Goods Part 3: Index of dangerous goods name and transportation requirements" (JT/T 617.3)

SECTION 15: Regulatory Information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Prohibitions, Restrictions and Authorizations

Annex XVII of Regulation (EC) No 1907/2006: Number on List: 75, 3

Restrictions of Regulation (EC) No 1907/2006, Annex XVII, do not apply for the intended use(s) of the product given in this SDS.

Directive 2012/18/EU - Control of Major Accident Hazards involving dangerous substances (EU):

List entry in regulation: E2

Classification applies for standard conditions of temperature and pressure.

To avoid risks to man and the environment, comply with the instructions for use.

This product may be subject to the Seveso III Directive and amendments if specific threshold tonnages are exceeded.

For further medical advice Doctors should contact the National Poisons Information Centre at Beaumont Hospital, Dublin.

15.2. Chemical Safety Assessment

Advice on product handling can be found in sections 7 and 8 of this safety data sheet.

SECTION 16: Other Information

For proper and safe use of this product, please refer to the approval conditions laid down on the product label.

 BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 01.04.2026

Version: 3.0

Date / Previous version: 23.09.2025

Previous version: 2.0

Product: **Osiris® Pro**

(ID no. 30835412/SDS_CPA_IE/EN)

Date of print 14.04.2026

Full text of the classifications, including the hazard classes and the hazard statements, if mentioned in section 2 or 3:

Eye Dam./Irrit.	Serious eye damage/eye irritation
Skin Corr./Irrit.	Skin corrosion/irritation
Skin Sens.	Skin sensitization
STOT SE	Specific target organ toxicity — single exposure
Aquatic Acute	Hazardous to the aquatic environment - acute
Aquatic Chronic	Hazardous to the aquatic environment - chronic
Skin Irrit.	Skin irritation
Eye Irrit.	Eye irritation
Eye Dam.	Serious eye damage
H318	Causes serious eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H335	May cause respiratory irritation.
H401	Toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
EUH401	To avoid risks to human health and the environment, comply with the instructions for use.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H319	Causes serious eye irritation.
H412	Harmful to aquatic life with long lasting effects.

Abbreviations

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road.
 ADN = The European Agreement concerning the International Carriage of Dangerous Goods by Inland waterways. ATE = Acute Toxicity Estimates. CAO = Cargo Aircraft Only. CAS = Chemical Abstract Service. CLP = Classification, Labelling and Packaging of substances and mixtures. DIN = German national organization for standardization. DNEL = Derived No Effect Level. EC50 = Effective concentration median for 50% of the population. EC = European Community. EN = European Standards. IARC = International Agency for Research on Cancer. IATA = International Air Transport Association. IBC-Code = Intermediate Bulk Container code. IMDG = International Maritime Dangerous Goods Code. ISO = International Organization for Standardization. STEL = Short-Term Exposure Limit. LC50 = Lethal concentration median for 50% of the population. LD50 = Lethal dose median for 50% of the population. TLV = Threshold Limit Value. MARPOL = The International Convention for the Prevention of Pollution from Ships. NEN = Dutch Norm. NOEC = No Observed Effect Concentration. OEL = Occupational Exposure Limit. OECD = Organization for Economic Cooperation and Development. PBT = Persistent, Bioaccumulative and Toxic. PMT = Persistent, Mobile and Toxic. PNEC = Predicted No Effect Level. PPM = Parts per million. RID = The European Agreement concerning the International Carriage of Dangerous Goods by Rail. TWA = Time Weight Average. UN-number = UN number at transport. vPvB = very Persistent and very Bioaccumulative. vPvM = very Persistent and very Mobile.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

 Vertical lines in the left hand margin indicate an amendment from the previous version.

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 01.04.2026

Version: 3.0

Date / Previous version: 23.09.2025

Previous version: 2.0

Product: **Osiris® Pro**

(ID no. 30835412/SDS_CPA_IE/EN)

Date of print 14.04.2026