

# Safety data sheet

Page: 1/17

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 26.07.2022 Version: 4.0

Date previous version: 22.12.2015 Previous version: 3.0

Date / First version: 24.02.2012

Product: **Terpal**®

(ID no. 30035202/SDS CPA IE/EN)

Date of print 26.07.2022

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

# **Terpal®**

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: crop protection product, growth regulator

## 1.3. Details of the supplier of the safety data sheet

Company: BASF SE 67056 Ludwigshafen GERMANY Contact address:
BASF Ireland Ltd.
Asgard House, 19-20 City Quay
Dublin, D02 K744
Ireland

Telephone: +353 21 451-7100

E-mail address: product-safety-north@basf.com

# 1.4. Emergency telephone number

For products classified as hazardous in accordance with CLP: National Poisons Information Centre, Beaumont Hospital, Dublin 9 Emergency medical information: 8am-10pm (seven days)

Tel.: 01 8092566

International emergency number: Telephone: +49 180 2273-112

Page: 2/17

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 26.07.2022 Version: 4.0

Date previous version: 22.12.2015 Previous version: 3.0

Date / First version: 24.02.2012

Product: **Terpal**®

(ID no. 30035202/SDS\_CPA\_IE/EN)

Date of print 26.07.2022

#### **SECTION 2: Hazards Identification**

#### 2.1. Classification of the substance or mixture

For the classification of the mixture the following methods have been applied: extrapolation on the concentration levels of the hazardous substances, on basis of test results and after evaluation of experts. The methodologies used are mentioned at the respective test results.

# According to Regulation (EC) No 1272/2008 [CLP]

Met. Corr. 1 H290 May be corrosive to metals. Acute Tox. 4 H302 Harmful if swallowed.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.

For the classifications not written out in full in this section the full text can be found in section 16.

# 2.2. Label elements

#### According to Regulation (EC) No 1272/2008 [CLP]

#### Pictogram:







# Signal Word:

Warning

#### Hazard Statement:

H290 May be corrosive to metals. H302 Harmful if swallowed.

EUH401 To avoid risks to human health and the environment, comply with the

instructions for use.

H410 Very toxic to aquatic life with long lasting effects.

# Precautionary Statement:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

# Precautionary Statements (Prevention):

P234 Keep only in original packaging.

P264 Wash contaminated body parts thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.

# Precautionary Statements (Response):

P390 Absorb spillage to prevent material damage.

P301 + P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you

feel unwell.

P330 Rinse mouth
P391 Collect spillage.
Precautionary Statements (Storage):

P406 Store in a corrosion-resistant container with a resistant inner liner.

Page: 3/17

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 26.07.2022 Version: 4.0

Date previous version: 22.12.2015 Previous version: 3.0

Date / First version: 24.02.2012

Product: Terpal®

(ID no. 30035202/SDS\_CPA\_IE/EN)

Date of print 26.07.2022

#### Precautionary Statements (Disposal):

P501 Dispose of contents/container to a licensed hazardous waste disposal

contractor or collection site except for triple rinsed empty containers

which can be disposed of as non-hazardous waste.

Hazard determining component(s) for labelling: 2-chloroethylphosphonic acid; ethephon, 1,1-dimethylpiperidinium chloride; mepiguat chloride

#### 2.3. Other hazards

#### According to Regulation (EC) No 1272/2008 [CLP]

See section 12 - Results of PBT and vPvB assessment.

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture. Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

# **SECTION 3: Composition/Information on Ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

#### Chemical nature

crop protection product, growth regulator, Soluble concentrate (SL)

#### Regulatory relevant ingredients

1,1-dimethylpiperidinium chloride; mepiquat chloride

Content (W/W): 27.98 % Acute Tox. 4 (oral) CAS Number: 24307-26-4 Aquatic Chronic 3 EC-Number: 246-147-6 H302, H412

2-chloroethylphosphonic acid; ethephon

Date / Revised: 26.07.2022 Version: 4.0

Date previous version: 22.12.2015 Previous version: 3.0

Date / First version: 24.02.2012 Product: **Terpal**®

(ID no. 30035202/SDS\_CPA\_IE/EN)

Date of print 26.07.2022

Content (W/W): 14.2 % Acute Tox. 4 (Inhalation - dust)

CAS Number: 16672-87-0 Acute Tox. 4 (oral)
EC-Number: 240-718-3 Acute Tox. 3 (dermal)
INDEX-Number: 015-154-00-4 Skin Corr./Irrit. 1C
Aquatic Chronic 2

H314, H311, H332, H302, H411, EUH071 Differing classification according to current knowledge and the criteria given in Annex I of Regulation (EC) No. 1272/2008Acute Tox. 4

(Inhalation - dust) Acute Tox. 4 (oral) Acute Tox. 3 (dermal) Skin Corr./Irrit. 1B Eye Dam./Irrit. 1 Aquatic Chronic 2

For the classifications not written out in full in this section, including the hazard classes and the hazard statements, the full text is listed in section 16.

# **SECTION 4: First-Aid Measures**

# 4.1. Description of first aid measures

Remove contaminated clothing.

If inhaled:

Keep patient calm, remove to fresh air, seek medical attention.

On skin contact:

Wash thoroughly with soap and water

On contact with eyes:

Wash affected eyes for at least 15 minutes under running water with eyelids held open.

On ingestion:

Immediately rinse mouth and then drink 200-300 ml of water, seek medical attention.

# 4.2. Most important symptoms and effects, both acute and delayed

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far

# 4.3. Indication of any immediate medical attention and special treatment needed

Treatment: Treat according to symptoms (decontamination, vital functions), no known specific antidote.

Date / Revised: 26.07.2022 Version: 4.0

Date previous version: 22.12.2015 Previous version: 3.0 Date / First version: 24.02.2012

Product: **Terpal**®

(ID no. 30035202/SDS CPA IE/EN)

Date of print 26.07.2022

# **SECTION 5: Fire-Fighting Measures**

# 5.1. Extinguishing media

Suitable extinguishing media: water spray, foam, dry powder, carbon dioxide

# 5.2. Special hazards arising from the substance or mixture

Endangering substances: carbon monoxide, hydrogen chloride, Carbon dioxide, nitrogen oxides, Phosphorus compounds, halogenated compounds

Advice: The substances/groups of substances mentioned can be released in case of fire.

# 5.3. Advice for fire-fighters

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

#### Further information:

Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire.

#### **SECTION 6: Accidental Release Measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

Do not breathe vapour/spray. Use personal protective clothing. Avoid contact with the skin, eyes and clothing.

#### 6.2. Environmental precautions

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Do not allow contamination of public drains or surface or ground waters. Inform local water plc if spillage enters drains and the Environmental Protection Agency if it enters surface or ground waters. Keep people and animals away.

#### 6.3. Methods and material for containment and cleaning up

For small amounts: Pick up with suitable absorbent material (e.g. sand, sawdust, general-purpose binder, kieselguhr).

For large amounts: Dike spillage. Pump off product.

Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations.

Date / Revised: 26.07.2022 Version: 4.0

Date previous version: 22.12.2015

Date / First version: 24.02.2012

Previous version: 3.0

Product: Terpal®

(ID no. 30035202/SDS CPA IE/EN)

Date of print 26.07.2022

#### 6.4. Reference to other sections

Information regarding exposure controls/personal protection and disposal considerations can be found in section 8 and 13.

# **SECTION 7: Handling and Storage**

# 7.1. Precautions for safe handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion:

No special precautions necessary. The substance/product is non-combustible. Product is not explosive.

# 7.2. Conditions for safe storage, including any incompatibilities

Segregate from foods and animal feeds.

Further information on storage conditions: Keep away from heat. Protect from direct sunlight.

Protect from temperatures below:-10 °C

Changes in the properties of the product may occur if substance/product is stored below indicated temperature for extended periods of time.

Protect from temperatures above:40 °C

Changes in the properties of the product may occur if substance/product is stored above indicated temperature for extended periods of time.

# 7.3. Specific end use(s)

For the relevant identified use(s) listed in Section 1 the advice mentioned in this section 7 is to be observed.

# **SECTION 8: Exposure Controls/Personal Protection**

# 8.1. Control parameters

Components with occupational exposure limits

No substance specific occupational exposure limits known.

Refer to the current schedule of occupational exposure standards published by the Irish HSA. For normal use and handling refer to the product label/leaflet. In all other cases the following apply.

#### 8.2. Exposure controls

Personal protective equipment

Respiratory protection:

Suitable respiratory protection for lower concentrations or short-term effect: Combination filter for gases/vapours of organic, inorganic, acid inorganic, alkaline compounds and toxic particles (e. g. EN 14387 Type ABEK-P3)

Page: 7/17

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 26.07.2022 Version: 4.0

Date previous version: 22.12.2015 Previous version: 3.0

Date / First version: 24.02.2012

Product: Terpal®

(ID no. 30035202/SDS\_CPA\_IE/EN)

Date of print 26.07.2022

#### Hand protection:

Suitable chemical resistant safety gloves (EN ISO 374-1) also with prolonged, direct contact (Recommended: Protective index 6, corresponding > 480 minutes of permeation time according to EN ISO 374-1): E.g. nitrile rubber (0.4 mm), chloroprene rubber (0.5 mm), butyl rubber (0.7 mm) etc.

# Eye protection:

Safety glasses with side-shields (frame goggles) (e.g. EN 166)

#### Body protection:

Body protection must be chosen depending on activity and possible exposure, e.g. apron, protecting boots, chemical-protection suit (according to EN 14605 in case of splashes or EN ISO 13982 in case of dust).

#### General safety and hygiene measures

The statements on personal protective equipment in the instructions for use apply when handling crop-protection agents in final-consumer packing. Wearing of closed work clothing is recommended. Store work clothing separately. Keep away from food, drink and animal feeding stuffs.

# **SECTION 9: Physical and Chemical Properties**

# 9.1. Information on basic physical and chemical properties

State of matter: liquid
Form: liquid
Colour: colourless
Odour: aromatic

Odour threshold:

Not determined due to potential health hazard by inhalation.

crystallization temperature: approx. -14.9 °C

Boiling point: approx. 100 °C Flammability: not applicable

Lower explosion limit:

As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

Upper explosion limit:

As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with

the intended use.

Flash point: (ISO 2719)

No flash point - Measurement made

up to the boiling point.

Auto-ignition temperature: approx. 415 °C (Directive 92/69/EEC, A.15)

Page: 8/17

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 26.07.2022 Version: 4.0

Date previous version: 22.12.2015 Previous version: 3.0

Date / First version: 24.02.2012

Product: Terpal®

(ID no. 30035202/SDS\_CPA\_IE/EN)

Date of print 26.07.2022

Thermal decomposition: No decomposition if stored and handled as prescribed/indicated.

pH value: approx. 1.1 - 3.1

(CIPAC standard water D, 1 %(m),

20 °C)

Viscosity, dynamic: approx. 4.1 mPa.s

(20 °C)

Solubility in water: fully soluble

Partitioning coefficient n-octanol/water (log Kow):

The statements are based on the properties of the individual

components.

Information on: 1,1-dimethylpiperidinium chloride; mepiquat chloride

Partitioning coefficient n-octanol/water (log Kow): 2.82

(pH value: 7)

-----

Vapour pressure: approx. 23 hPa

(20 °C)

Information applies to the solvent.

Density: approx. 1.09 g/cm3

(20 °C)

Relative vapour density (air):

not applicable

# 9.2. Other information

#### Information with regard to physical hazard classes

**Explosives** 

Explosion hazard: Based on the chemical structure

there is no indication of explosive

properties.

Oxidizing properties

Fire promoting properties: Based on its structural properties

the product is not classified as

oxidizing.

Corrosion to metals

Aluminium

#### Other safety characteristics

Other Information: If necessary, information on other physical and chemical parameters is

indicated in this section.

Evaporation rate:

not applicable

# **SECTION 10: Stability and Reactivity**

## 10.1. Reactivity

No hazardous reactions if stored and handled as prescribed/indicated.

Page: 9/17

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 26.07.2022 Version: 4.0

Date previous version: 22.12.2015 Previous version: 3.0 Date / First version: 24.02.2012

Product: **Terpal**®

(ID no. 30035202/SDS\_CPA\_IE/EN)

Date of print 26.07.2022

Corrosion to metals: Aluminium

# 10.2. Chemical stability

The product is stable if stored and handled as prescribed/indicated.

# 10.3. Possibility of hazardous reactions

No hazardous reactions if stored and handled as prescribed/indicated.

#### 10.4. Conditions to avoid

See SDS section 7 - Handling and storage.

# 10.5. Incompatible materials

Substances to avoid:

strong oxidizing agents, strong bases, strong acids

#### 10.6. Hazardous decomposition products

Hazardous decomposition products:

No hazardous decomposition products if stored and handled as prescribed/indicated.

# **SECTION 11: Toxicological Information**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

# Acute toxicity

Assessment of acute toxicity:

Of moderate toxicity after single ingestion. Virtually nontoxic by inhalation. Virtually nontoxic after a single skin contact.

Experimental/calculated data:

LD50 rat (oral): > 500 - < 2,000 mg/kg (OECD Guideline 423)

LC50 rat (by inhalation): > 5.3 mg/l 4 h (OECD Guideline 403)

No mortality was observed. An aerosol was tested.

LD50 rat (dermal): > 4,000 mg/kg (OECD Guideline 402)

No mortality was observed.

# Irritation

Assessment of irritating effects:

Page: 10/17

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 26.07.2022 Version: 4.0

Date previous version: 22.12.2015

Date / First version: 24.02.2012

Previous version: 3.0

Product: **Terpal**®

(ID no. 30035202/SDS\_CPA\_IE/EN)

Date of print 26.07.2022

Not irritating to the skin. Not irritating to the eyes.

Experimental/calculated data: Skin corrosion/irritation rabbit: non-irritant (OECD Guideline 404)

Serious eye damage/irritation rabbit: non-irritant (OECD Guideline 405)

# Respiratory/Skin sensitization

Assessment of sensitization:

There is no evidence of a skin-sensitizing potential.

Experimental/calculated data:

Guinea pig maximization test guinea pig: Non-sensitizing.

# Germ cell mutagenicity

#### Assessment of mutagenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

#### Carcinogenicity

## Assessment of carcinogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

#### Reproductive toxicity

#### Assessment of reproduction toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

#### **Developmental toxicity**

#### Assessment of teratogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

#### Specific target organ toxicity (single exposure)

#### Assessment of STOT single:

Page: 11/17

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 26.07.2022 Version: 4.0

Date previous version: 22.12.2015 Previous version: 3.0 Date / First version: 24.02.2012

Product: Terpal®

(ID no. 30035202/SDS\_CPA\_IE/EN)

Date of print 26.07.2022

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

# Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components. No substance-specific organioxicity was observed after repeated administration to animals.

#### **Aspiration hazard**

No aspiration hazard expected.

The product has not been tested. The statement has been derived from the properties of the individual components.

#### Interactive effects

No data available.

#### 11.2. Information on other hazards

# **Endocrine disrupting properties**

Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

# Other information

Other relevant toxicity information

Misuse can be harmful to health.

# **SECTION 12: Ecological Information**

# 12.1. Toxicity

Assessment of aquatic toxicity:

Very toxic to aquatic life with long lasting effects.

Page: 12/17

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 26.07.2022 Version: 4.0

Date previous version: 22.12.2015 Previous version: 3.0 Date / First version: 24.02.2012

Product: Terpal®

(ID no. 30035202/SDS\_CPA\_IE/EN)

Date of print 26.07.2022

Toxicity to fish:

LC50 (96 h) > 100 mg/l, Oncorhynchus mykiss (OECD 203; ISO 7346; 84/449/EEC, C.1, static)

Aquatic invertebrates:

EC50 (48 h) > 100 mg/l, Daphnia magna

Aquatic plants:

EC10 (72 h) > 1,000 mg/l, Pseudokirchneriella subcapitata

EC50 (7 d) > 100 mg/l (growth rate), Lemna gibba (OECD guideline 221)

No observed effect concentration (7 d) 0.001 mg/l (growth rate), Lemna gibba (OECD guideline 221)

Chronic toxicity to fish:

No observed effect concentration (28 d) < 1 mg/l, Oncorhynchus mykiss

# 12.2. Persistence and degradability

Assessment biodegradation and elimination (H2O):

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on:1,1-dimethylpiperidinium chloride; mepiguat chloride

Assessment biodegradation and elimination (H2O):

Readily biodegradable (according to OECD criteria).

Information on:ethephon

Assessment biodegradation and elimination (H2O):

Easily eliminated from water. The product is unstable in water. The elimination data also refer to products of hydrolysis.

#### 12.3. Bioaccumulative potential

Assessment bioaccumulation potential:

The product has not been tested. The statement has been derived from the properties of the individual components.

Information on:1,1-dimethylpiperidinium chloride; mepiquat chloride

Assessment bioaccumulation potential:

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

-----

Information on:ethephon

Bioaccumulation potential:

Page: 13/17

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 26.07.2022 Version: 4.0

Date previous version: 22.12.2015 Previous version: 3.0

Date / First version: 24.02.2012

Product: Terpal®

(ID no. 30035202/SDS CPA IE/EN)

Date of print 26.07.2022

Accumulation in organisms is not to be expected. The product has not been tested. The statement has been derived from the properties of the hydrolysis products.

\_\_\_\_\_

# 12.4. Mobility in soil

Assessment transport between environmental compartments:

Adsorption in soil: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on:2-chloroethylphosphonic acid; ethephon

Assessment transport between environmental compartments:

Adsorption in soil: Following exposure to soil, adsorption to solid soil particles is probable, therefore contamination of groundwater is not expected.

Information on:1,1-dimethylpiperidinium chloride; mepiquat chloride

Assessment transport between environmental compartments:

Adsorption in soil: Following exposure to soil, the product trickles away and can - dependant on degradation - be transported to deeper soil areas with larger water loads.

\_\_\_\_\_

#### 12.5. Results of PBT and vPvB assessment

The product does not contain a substance fulfilling the PBT (persistent/bioaccumulative/toxic) criteria or the vPvB (very persistent/very bioaccumulative) criteria.

# 12.6. Endocrine disrupting properties

Product does not contain a substance above legal limits included in the list established in accordance with Article 59(1) of Regulation (EC) No 1907/2006 for having endocrine disrupting properties or is identified to have endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

# 12.7. Other adverse effects

The product does not contain substances that are listed in Regulation (EC) 1005/2009 on substances that deplete the ozone layer.

## 12.8. Additional information

Other ecotoxicological advice:

Do not discharge product into the environment without control.

Date / Revised: 26.07.2022 Version: 4.0

Date previous version: 22.12.2015 Previous version: 3.0

Date / First version: 24.02.2012

Product: Terpal®

(ID no. 30035202/SDS\_CPA\_IE/EN)

Date of print 26.07.2022

# **SECTION 13: Disposal Considerations**

#### 13.1. Waste treatment methods

Must be sent to a suitable incineration plant, observing local regulations.

Contaminated packaging:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

# **SECTION 14: Transport Information**

#### **Land transport**

**ADR** 

UN number or ID number: UN3265

UN proper shipping name: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (ETHEPHON)

**CORROSIVE ON ALUMINIUM** 

Transport hazard class(es): 8, EHSM

Packing group: III Environmental hazards: yes

Special precautions for Tunnel code: E

user:

**RID** 

UN number or ID number: UN3265

UN proper shipping name: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (ETHEPHON)

**CORROSIVE ON ALUMINIUM** 

Transport hazard class(es): 8, EHSM

Packing group:

Ш

Environmental hazards: yes

Special precautions for None known

user:

#### Inland waterway transport

ADN

UN number or ID number: UN3265

UN proper shipping name: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (ETHEPHON)

**CORROSIVE ON ALUMINIUM** 

Transport hazard class(es): 8, EHSM

Packing group:

Special precautions for

Ш

Environmental hazards: yes

None known

user:

Page: 15/17

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 26.07.2022 Version: 4.0

Date previous version: 22.12.2015 Previous version: 3.0

Date / First version: 24.02.2012

Product: Terpal®

(ID no. 30035202/SDS\_CPA\_IE/EN)

Date of print 26.07.2022

#### Transport in inland waterway vessel

Not evaluated

#### Sea transport

**IMDG** 

UN number or ID number: UN 3265

UN proper shipping name: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (ETHEPHON)

CORROSIVE ON ALUMINIUM

Transport hazard class(es): 8, EHSM

Packing group: III Environmental hazards: yes

Marine pollutant: YES

Special precautions for EmS: F-A; S-B

user:

#### Air transport

IATA/ICAO

UN number or ID number: UN 3265

UN proper shipping name: CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (ETHEPHON)

CORROSIVE ON ALUMINIUM

Transport hazard class(es): 8
Packing group: III

Environmental hazards: No Mark as dangerous for the environment is needed

Special precautions for None known

user:

#### 14.1. UN number or ID number

See corresponding entries for "UN number or ID number" for the respective regulations in the tables above.

# 14.2. UN proper shipping name

See corresponding entries for "UN proper shipping name" for the respective regulations in the tables above.

#### 14.3. Transport hazard class(es)

See corresponding entries for "Transport hazard class(es)" for the respective regulations in the tables above.

#### 14.4. Packing group

See corresponding entries for "Packing group" for the respective regulations in the tables above.

#### 14.5. Environmental hazards

Page: 16/17

BASF Safety data sheet according to Regulation (EC) No. 1907/2006 as amended from time to time.

Date / Revised: 26.07.2022 Version: 4.0

Date previous version: 22.12.2015 Previous version: 3.0

Date / First version: 24.02.2012 Product: **Terpal**®

(ID no. 30035202/SDS\_CPA\_IE/EN)

Date of print 26.07.2022

See corresponding entries for "Environmental hazards" for the respective regulations in the tables above.

# 14.6. Special precautions for user

See corresponding entries for "Special precautions for user" for the respective regulations in the tables above.

### 14.7. Maritime transport in bulk according to IMO instruments

Maritime transport in bulk is not intended.

# **SECTION 15: Regulatory Information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Prohibitions, Restrictions and Authorizations

Annex XVII of Regulation (EC) No 1907/2006: Number on List: 3

Restrictions of Regulation (EC) No 1907/2006, Annex XVII, do not apply for the intended use(s) of the product given in this SDS.

Directive 2012/18/EU - Control of Major Accident Hazards involving dangerous substances (EU): List entry in regulation: E1

This product may be subject to the Seveso III Directive and amendments if specific threshold tonnages are exceeded.

For further medical advice Doctors should contact the National Poison Information Centre at Beaumont Hospital, Dublin.

To avoid risks to man and the environment, comply with the instructions for use.

#### 15.2. Chemical Safety Assessment

Advice on product handling can be found in sections 7 and 8 of this safety data sheet.

# **SECTION 16: Other Information**

For proper and safe use of this product, please refer to the approval conditions laid down on the product label.

Full text of the classifications, including the hazard classes and the hazard statements, if mentioned

in section 2 or 3:

Met. Corr. Corrosive to metals
Acute Tox. Acute toxicity

Aguatic Chronic Hazardous to the aguatic environment - chronic

Skin Corr./Irrit. Skin corrosion/irritation

Eye Dam./Irrit. Serious eye damage/eye irritation
H290 May be corrosive to metals.
H302 Harmful if swallowed.

Date / Revised: 26.07.2022 Version: 4.0

Date previous version: 22.12.2015 Previous version: 3.0 Date / First version: 24.02.2012

Product: **Terpal**®

(ID no. 30035202/SDS CPA IE/EN)

Date of print 26.07.2022

EUH401	To avoid risks to human health and the environment, comply with the instructions for use.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
H314	Causes severe skin burns and eye damage.
H311	Toxic in contact with skin.
H332	Harmful if inhaled.
H411	Toxic to aquatic life with long lasting effects.
EUH071	Corrosive to the respiratory tract.

#### Abbreviations

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road. ADN = The European Agreement concerning the International Carriage of Dangerous Goods by Inland waterways. ATE = Acute Toxicity Estimates. CAO = Cargo Aircraft Only. CAS = Chemical Abstract Service. CLP = Classification, Labelling and Packaging of substances and mixtures. DIN = German national organization for standardization. DNEL = Derived No Effect Level. EC50 = Effective concentration median for 50% of the population. EC = European Community. EN = European Standards. IARC = International Agency for Research on Cancer. IATA = International Air Transport Association. IBC-Code = Intermediate Bulk Container code. IMDG = International Maritime Dangerous Goods Code. ISO = International Organization for Standardization. STEL = Short-Term Exposure Limit. LC50 = Lethal concentration median for 50% of the population. LD50 = Lethal dose median for 50% of the population. TLV = Threshold Limit Value. MARPOL = The International Convention for the Prevention of Pollution from Ships, NEN = Dutch Norm, NOEC = No Observed Effect Concentration, OEL = Occupational Exposure Limit. OECD = Organization for Economic Cooperation and Development. PBT = Persistent, Bioaccumulative and Toxic. PNEC = Predicted No Effect Level. PPM = Parts per million. RID = The European Agreement concerning the International Carriage of Dangerous Goods by Rail. TWA = Time Weight Average. UN-number = UN number at transport. vPvB = very Persistent and very Bioaccumulative.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.

Vertical lines in the left hand margin indicate an amendment from the previous version.