

Velary®

Velary is a fungicide for the control of *Alternaria* in potatoes.

A suspension concentrate containing 75 g/l mefenfluconazole.

Risk and Safety Information

Warning

May cause an allergic skin reaction.
Toxic to aquatic life with long lasting effects.

If medical advice is needed, have product container or label at hand.

Avoid breathing mist/vapours/spray.

Wear protective gloves/clothing.

IF ON SKIN (or hair): Wash with plenty of soap and water.

If skin irritation or rash occurs: Call a POISON CENTRE or doctor/physician.

Dispose of contents/container to a licensed hazardous waste disposal contractor or collection site except for triple rinsed empty containers which can be disposed of as non-hazardous waste.

Contains 1,2-benzisothiazolin-3-one and 2-methyl-4-isothiazolin-3-one. May cause an allergic reaction.

To avoid risks to human health and the environment, comply with the instructions for use.

PCS No. : 06965



® = Registered trademark of BASF

UFI : GW5R-T457-M00S-X2HT

Supplied by:
BASF Ireland DAC, 4th and 5th Floors, 2 Stockport Exchange, Railway Road, Stockport, SK1 3GG, UK
Telephone: 00 44 (0)161 475 3000

Emergency Information (24 hours freephone): 0049 180 227 3112

Technical Enquiries: 0044 (0)845 602 2553 (office hours)

Authorisation holder:
BASF plc, 4th and 5th Floors,
2 Stockport Exchange,
Railway Road, Stockport, SK1
3GG, UK Telephone: 00 44
(0)161 475 3000

5 L

81179652 IE 2114



FOR USE ONLY AS AN AGRICULTURAL FUNGICIDE, as directed below:

Crops	Maximum individual dose	Maximum total dose	Latest time of application
Potatoes	1.25 l/ha	3.75 l/ha	3 days before harvest

READ ALL PRECAUTIONS BEFORE USE.

PCS No. : 06965

PRECAUTIONS

WEAR SUITABLE PROTECTIVE CLOTHING (COVERALLS), SUITABLE PROTECTIVE GLOVES when handling the concentrate.

WEAR SUITABLE PROTECTIVE CLOTHING (COVERALLS), SUITABLE PROTECTIVE GLOVES when handling contaminated surfaces, or applying the product.

WHEN USING DO NOT EAT, DRINK OR SMOKE.

WASH HANDS AND EXPOSED SKIN before meals and after work.

IF YOU FEEL UNWELL, seek medical advice immediately (show the label where possible).

Do not contaminate water with the product or its container. Do not clean application equipment near surface water. Avoid contamination via drains from farmyards and roads.

For professional use only.

STORAGE

KEEP AWAY FROM FOOD, DRINK AND ANIMAL FEEDING STUFFS.

KEEP OUT OF REACH OF CHILDREN.

KEEP IN ORIGINAL CONTAINER, tightly closed, in a safe place, away from sources of heat.

DO NOT RE-USE CONTAINER FOR ANY PURPOSE.

RINSE CONTAINER THOROUGHLY by using an integrated pressure rinsing device or manually rinsing three times.

Add washings to sprayer at time of filling and dispose of container safely.

Store in a suitable pesticide store. Keep dry and protect from frost.

DIRECTIONS FOR USE

IMPORTANT: This information is approved as part of the Product Label. All instructions within this section must be read carefully in order to obtain safe and successful use of this product.

Velary is a fungicide for the control of *Alternaria* in potatoes.

Restrictions/Warnings

Velary has not been fully evaluated on the beneficial organisms used in Integrated Pest Management systems.

For professional use only.

Disease control

Velary is a fungicide for the control *Alternaria* in potatoes.

See summary below:

For best results apply Velary as a protectant treatment.

Disease	Potatoes
<i>Alternaria</i> spp.	C

C = control

Resistance Management

GROUP	3	FUNGICIDE
-------	---	-----------

Velary contains mefentrifluconazole, a DMI fungicide belonging to FRAC Code G1.

Velary should be used in accordance with FRAC advice for DMIs.

Effective disease management is a critical component in delaying the build-up of resistant pathogen populations. Therefore, Velary should be applied according to the manufacturers recommended dose and spray timings even when disease pressure is low.

DMIs should be used in mixture, or in alternation with a non-cross resistant fungicide, at a dose rate which is effective against the target disease.

Velary should be used preventatively and should not be relied upon for its curative potential.

For further advice on resistance management contact your agronomist or specialist adviser or visit the FRAG-UK website.

Crop Specific Information

Potato

Alternaria spp.

Apply Velary as a preventative treatment and before disease becomes established in the crop. A maximum of three applications of Velary may be applied per year with a minimum of 7 days between applications. A minimum of 3 days must elapse between the last spray and harvest.

Apply Velary at a rate of 1.25 l/ha in a water volume of 100-400 litres per hectare.

Mixing and Application

Never prepare more spray solution than is required.

Three quarters fill the tank with clean water and start the agitation. To ensure thorough mixing of the product, invert the container several times before opening. Add the required quantity of Velary to the spray tank while re-circulating. Add the remainder of the water and continue agitation until spraying is complete.

When tank mixes are to be used, take due note of any instructions given as to the order of mixing. Each product should be added separately to the spray tank and fully dispersed before the addition of any further product(s).

All tank mixes should be used immediately after mixing.

On emptying the container, rinse container thoroughly by using an integrated pressure rinsing device or by manually rinsing three times. Add washings to tank at time of filling and dispose of container safely.

Application

Apply as a MEDIUM spray, as defined by BCPC.

Tank cleaning

Wash sprayer thoroughly immediately after use, using clean water and following the sprayer cleaning guidance provided by the equipment manufacturer.

Compatibility

For details of compatibilities contact your distributor, local BASF representative, the BASF Technical Services Hotline: 00 44 (0)845 602 2553 or visit our website www.agricentre.basf.ie

The following does not form part of the product label under S.I. No. 159 of 2012

With many products there is a general risk of resistance developing to the active ingredients. For this reason a change in activity cannot be ruled out. It is generally impossible to predict with certainty how resistance may develop because there are so many crop and use connected ways of influencing this. We therefore have to exclude liability for damage or loss attributable to any such resistance that may develop. To help minimise any loss in activity the BASF recommended rate should in all events be adhered to.

Numerous, particularly regional or regionally attributable, factors can influence the activity of the product. Examples include weather and soil conditions, crop plant varieties, crop rotation, treatment times, application amounts, admixture with other products, appearance of organisms resistant to active ingredients and spraying techniques. Under particular conditions a change in activity or damage to plants cannot be ruled out. The manufacturer or supplier is therefore unable to accept any liability in such circumstances. All goods supplied by us are of high grade and we believe them to be suitable, but as we cannot exercise control over their mixing or use or the weather conditions during and after application, which may affect the performance of the material, all conditions and warranties, statutory or otherwise, as to the quality or fitness for any purpose of our goods are excluded and no responsibility will be accepted by us for any damage or injury whatsoever arising from their storage, handling, application or use; but nothing should be deemed to exclude or restrict any liability upon us which cannot be excluded or restricted under the provisions of any applicable law.

Additional Product Safety Information

The information on this label is based on the best available information including data from test results.

Safety Data Sheet

To access the Safety Data Sheet for this product scan the QR code or use the weblink below:



agricentre.basf.ie/Velary-IE/MSDS

Alternatively, contact your supplier.

Velary®

Velary is a fungicide for the control of *Alternaria* in potatoes.

A suspension concentrate containing 75 g/l mefenftruconazole.

Risk and Safety Information

Warning

**May cause an allergic skin reaction.
Toxic to aquatic life with long lasting effects.**

If medical advice is needed, have product container or label at hand.

Avoid breathing mist/vapours/spray.

Wear protective gloves/clothing.

IF ON SKIN (or hair): Wash with plenty of soap and water.

If skin irritation or rash occurs: Call a POISON CENTRE or doctor/physician.

Dispose of contents/container to a licensed hazardous waste disposal contractor or collection site except for triple rinsed empty containers which can be disposed of as non-hazardous waste.

Contains 1,2-benzisothiazolin-3-one and 2-methyl-4-isothiazolin-3-one. May cause an allergic reaction.

To avoid risks to human health and the environment, comply with the instructions for use.

PCS No. : 06965

UFI : GW5R-T457-M00S-X2HT

Supplied by:
BASF Ireland DAC, 4th and 5th Floors, 2 Stockport Exchange, Railway Road, Stockport, SK1 3GG, UK
Telephone: 00 44 (0)161 475 3000

Emergency Information (24 hours freephone): 0049 180 227 3112

Technical Enquiries: 0044 (0)845 602 2553 (office hours)

Authorisation holder:
BASF plc, 4th and 5th Floors,
2 Stockport Exchange,
Railway Road, Stockport, SK1
3GG, UK Telephone: 00 44
(0)161 475 3000



® = Registered trademark of BASF

811 79652 IE 2114

5 L